

[LAB LOGO]

Test Report No.: **xx001**

Page 1 of xx

Issue Date: DD/MM/YYYY

|                                                                                              |                                                                                                      |             |
|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|-------------|
| Manufacturer:                                                                                | <b>Applicant's Name</b><br>Applicant's address                                                       |             |
| Test item:                                                                                   | <b>Smart Watches</b>                                                                                 |             |
| Identification:                                                                              | <b>(Model No.)</b>                                                                                   | Serial No.: |
| Receipt No.:                                                                                 | Date of receipt:                                                                                     |             |
| Testing laboratory and its address:                                                          | <b>Lab Name</b><br><b>Lab address</b>                                                                |             |
| Test specification:                                                                          | <b>IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 /<br/>IEC 60950-1: 2005 + A1: 2009 + A2 : 2013</b> |             |
| Test Result:                                                                                 | <i>The test item passed / failed the test specification(s).</i>                                      |             |
| Other Aspects:                                                                               | - Brief description or additional details could be given by the labs here.                           |             |
| <i>This test report relates to the test sample submitted and list of documents attached.</i> |                                                                                                      |             |

|                             |                                                |                             |
|-----------------------------|------------------------------------------------|-----------------------------|
| <b>Tested by:</b>           | <b>Approved by /<br/>Authorized Signatory:</b> | <b>Issued by:</b>           |
|                             |                                                |                             |
| <b>(Name / Designation)</b> | <b>(Name / Designation)</b>                    | <b>(Name / Designation)</b> |
| <b>Date:</b>                | <b>Date:</b>                                   | <b>Date:</b>                |

|                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| <p align="center"><b>TEST REPORT</b></p> <p align="center"><b>IS 13252 (Part 1): 2010 + A1: 2013+ A2: 2015 /</b></p> <p align="center"><b>IEC 60950-1: 2005 + A1: 2009 + A2: 2013</b></p> <p align="center"><b>Information technology equipment – Safety –</b></p> <p align="center"><b>Part 1: General requirements</b></p> <p align="center"><b>“Smart Watches”</b></p> |                                                                                                      |
| <b>Report Reference No.</b> .....                                                                                                                                                                                                                                                                                                                                         | xxxxxxxx 001                                                                                         |
| <b>Date of issue</b> .....                                                                                                                                                                                                                                                                                                                                                | (see cover page)                                                                                     |
| <b>Total number of pages</b> .....                                                                                                                                                                                                                                                                                                                                        | (see cover page)                                                                                     |
| <b>Testing Laboratory</b> .....                                                                                                                                                                                                                                                                                                                                           | Lab Name                                                                                             |
| <b>Address</b> .....                                                                                                                                                                                                                                                                                                                                                      | Lab address                                                                                          |
| <b>Manufacturer's name</b> .....                                                                                                                                                                                                                                                                                                                                          | Applicant's Name                                                                                     |
| <b>Address</b> .....                                                                                                                                                                                                                                                                                                                                                      | Applicant's address                                                                                  |
| <b>Test specification:</b>                                                                                                                                                                                                                                                                                                                                                |                                                                                                      |
| <b>Standard</b> .....                                                                                                                                                                                                                                                                                                                                                     | <b>IS 13252 (Part 1): 2010 + A1: 2013+ A2:2015 /</b><br><b>IEC 60950-1: 2005 + A1: 2009 +A2:2013</b> |
| <b>Test procedure</b> .....                                                                                                                                                                                                                                                                                                                                               | Compliance Report                                                                                    |
| <b>Non-standard test method</b> .....                                                                                                                                                                                                                                                                                                                                     | N/A                                                                                                  |
| <b>Test Report Form No.</b> .....                                                                                                                                                                                                                                                                                                                                         | BIS_ SW/IS 13252_V1.0                                                                                |
| <b>Test Report Form(s) Originator</b> .....                                                                                                                                                                                                                                                                                                                               | Bureau Of Indian Standards                                                                           |
| <b>Master TRF</b> .....                                                                                                                                                                                                                                                                                                                                                   | 23/11/2017                                                                                           |
| <b>Test item description</b> .....                                                                                                                                                                                                                                                                                                                                        | <b>Smart Watches</b>                                                                                 |
| <b>Trade Mark</b> .....                                                                                                                                                                                                                                                                                                                                                   |                                                                                                      |
| <b>Model/Type reference</b> .....                                                                                                                                                                                                                                                                                                                                         |                                                                                                      |
| <b>Ratings</b> .....                                                                                                                                                                                                                                                                                                                                                      |                                                                                                      |
| <b>Other Documents submitted</b> .....                                                                                                                                                                                                                                                                                                                                    | Please refer to Table – List of Attachments at Page No. xx                                           |

| Tested by:           | Approved by /<br>Authorized Signatory: | Issued by:           |
|----------------------|----------------------------------------|----------------------|
|                      |                                        |                      |
| (Name / Designation) | (Name / Designation)                   | (Name / Designation) |
| Date:                | Date:                                  | Date:                |

| Test Code | Description           | Measurement/ testing                                                      | Total No. of tests | Total no. of applicable tests/ Req. | No. of tests/ Req. passed | Page No. |
|-----------|-----------------------|---------------------------------------------------------------------------|--------------------|-------------------------------------|---------------------------|----------|
| EL 2100   | General Requirements  | Components (Cl.1.5)                                                       |                    |                                     |                           |          |
| EL 2101   | General Requirements  | Power interface (Cl.1.6)                                                  |                    |                                     |                           |          |
| EL 2102   | Marking Requirements  | Marking & instructions(Cl.1.7)                                            |                    |                                     |                           |          |
| EL 2103   | Electrical safety     | Protection from electric shock and energy hazards (Cl.2.1)                |                    |                                     |                           |          |
| EL 2104   | Electrical safety     | SELV Circuits (Cl.2.2)                                                    |                    |                                     |                           |          |
| EL 2105   | Electrical safety     | TNV Circuits (Cl.2.3)                                                     |                    |                                     |                           |          |
| EL 2106   | Electrical safety     | Limited current circuits (Cl.2.4)                                         |                    |                                     |                           |          |
| EL 2107   | Electrical safety     | Limited Power sources (Cl.2.5)                                            |                    |                                     |                           |          |
| EL 2108   | Electrical safety     | Provisions for earthing and bonding (Cl.2.6)                              |                    |                                     |                           |          |
| EL 2109   | Electrical safety     | Overcurrent and earth fault protection in primary circuits (Cl.2.7)       |                    |                                     |                           |          |
| EL 2110   | Electrical safety     | Safety Interlocks (Cl.2.8)                                                |                    |                                     |                           |          |
| EL 2111   | Electrical safety     | Electrical Insulation (Cl.2.9)                                            |                    |                                     |                           |          |
| EL 2112   | Electrical safety     | Clearances, Creepage distances and distances through insulation (Cl.2.10) |                    |                                     |                           |          |
| EL 2113   | Wiring                | Wiring, connections and supply (Cl.3)                                     |                    |                                     |                           |          |
| EL 2114   | Wiring                | Connection to a main supply (Cl.3.2)                                      |                    |                                     |                           |          |
| EL 2115   | Wiring                | Wiring terminals for connection of external conductors (Cl.3.3)           |                    |                                     |                           |          |
| EL 2116   | Wiring                | Disconnection for the main supply (Cl.3.4)                                |                    |                                     |                           |          |
| EL 2117   | Wiring                | Interconnection of equipment (Cl.3.5)                                     |                    |                                     |                           |          |
| EL 2118   | Mechanical properties | Stability (Cl.4.1)                                                        |                    |                                     |                           |          |
| EL 2119   | Mechanical properties | Mechanical strength (Cl.4.2)                                              |                    |                                     |                           |          |

|         |                                          |                                                                                                                                                       |  |  |  |  |
|---------|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|
| EL 2120 | Mechanical properties                    | Design and construction (Cl.4.3)                                                                                                                      |  |  |  |  |
| EL 2121 | Mechanical properties                    | Protection against hazardous moving parts (Cl.4.4)                                                                                                    |  |  |  |  |
| EL 2122 | Thermal Properties                       | Thermal requirements (Cl.4.5)                                                                                                                         |  |  |  |  |
| EL 2123 | Mechanical properties                    | Openings in Enclosures (Cl.4.6)                                                                                                                       |  |  |  |  |
| EL 2124 | Fire Safety                              | Resistance to fire (Cl.4.7)                                                                                                                           |  |  |  |  |
| EL 2125 | Insulating properties                    | Electrical requirements and simulated abnormal conditions(Cl.5),5.1                                                                                   |  |  |  |  |
| EL 2126 | Insulating properties                    | Electric Strength (Cl.5.2)                                                                                                                            |  |  |  |  |
| EL 2127 | Insulating properties                    | Abnormal operating and fault conditions (Cl.5.3)                                                                                                      |  |  |  |  |
| EL 2128 | Communicating connection                 | Protection of telecommunication network service persons, and users of other equipment connected to the network, from hazards in the equipment(Cl.6.1) |  |  |  |  |
| EL 2129 | Communicating connection                 | Protection of equipment users from overvoltages on telecommunication networks (Cl.6.2)                                                                |  |  |  |  |
| EL 2130 | Communicating connection                 | Protection of the telecommunication wiring system from overheating (Cl.6.3)                                                                           |  |  |  |  |
| EL 2131 | Connection to cable distribution systems | Connection to cable distribution systems (Cl.7)                                                                                                       |  |  |  |  |
| EL 2132 | Fire safety                              | Tests for resistance to heat and fire (Annex A)                                                                                                       |  |  |  |  |
| EL 2133 | Insulating properties                    | Motor tests under abnormal conditions (Annex B)                                                                                                       |  |  |  |  |
| EL 2134 | Electrical Safety                        | Transformers (Annex C)                                                                                                                                |  |  |  |  |
| EL 2135 | Insulating properties                    | Measuring Instruments For Touch-Current Tests (Annex D)                                                                                               |  |  |  |  |
| EL 2136 | Thermal Properties                       | Temperature Rise Of A Winding(Annex E)                                                                                                                |  |  |  |  |

|         |                                     |                                                                                  |  |  |  |  |
|---------|-------------------------------------|----------------------------------------------------------------------------------|--|--|--|--|
| EL 2137 | Electrical safety                   | Measurement Of Clearances And Creepage Distances(Annex F)                        |  |  |  |  |
| EL 2138 | Electrical safety                   | Alternative Method For Determining Minimum Clearances(Annex G)                   |  |  |  |  |
| EL 2139 | Radiation Safety                    | Ionizing Radiation(Annex H)                                                      |  |  |  |  |
| EL 2140 | Electrical Safety                   | Table of electrochemical potentials (Annex J)                                    |  |  |  |  |
| EL 2141 | General Requirements                | Thermal controls (Annex K)                                                       |  |  |  |  |
| EL 2142 | General Requirements                | Normal load conditions for some types of electrical business equipment (Annex L) |  |  |  |  |
| EL 2143 | Electrical Safety                   | Criteria for telephone ringing signals (Annex M)                                 |  |  |  |  |
| EL 2144 | Electrical safety                   | Impulse Test Generators(Annex N)                                                 |  |  |  |  |
| EL 2145 | General Requirements                | Normative References(Annex P)                                                    |  |  |  |  |
| EL 2146 | General Requirements                | Voltage dependent resistors (VDRs) (Annex Q)                                     |  |  |  |  |
| EL 2147 | General Requirements                | Examples Of Requirements For Quality Control Programmes(Annex R)                 |  |  |  |  |
| EL 2148 | General Requirements                | Procedure For Impulse Testing (Annex S)                                          |  |  |  |  |
| EL 2149 | Protection against Ingress of water | Guidance On Protection Against Ingress Of Water (Annex T)                        |  |  |  |  |
| EL 2150 | Wiring                              | Insulated Winding Wires For Use Without Interleaved Insulation (Annex U)         |  |  |  |  |
| EL 2151 | Electrical Safety                   | Ac Power Distribution Systems(Annex V)                                           |  |  |  |  |
| EL 2152 | Electrical Safety                   | Summation Of Touch Currents (Annex W)                                            |  |  |  |  |
| EL 2153 | Electrical Safety                   | Maximum Heating Effect In Transformer Tests(Annex X)                             |  |  |  |  |

|         |                       |                                                                          |  |  |  |  |
|---------|-----------------------|--------------------------------------------------------------------------|--|--|--|--|
| EL 2154 | Radiation safety      | Ultraviolet light conditioning test (Annex Y)                            |  |  |  |  |
| EL 2155 | Electrical Safety     | Overvoltage Categories (Annex Z)                                         |  |  |  |  |
| EL 2156 | Mechanical properties | Mandrel Test(Annex AA)                                                   |  |  |  |  |
| EL 2157 | Electrical Safety     | Changes In The Second Edition(Annex BB)                                  |  |  |  |  |
| EL 2158 | Electrical Safety     | Evaluation Of Integrated Circuit (IC) Current Limiters (Annex CC)        |  |  |  |  |
| EL 2159 | Mechanical properties | Requirements For The Mounting Means Of Rack-Mounted Equipment (Annex DD) |  |  |  |  |
| EL 2160 | Electrical Safety     | Household And Home/Office Document/Media Shredders (Annex EE)            |  |  |  |  |

**Certificate:** It is certified that the above tests were performed and found to be passing/Failing in the requirement tested.

.....  
(Approving Authority)

**Copy of marking plate:**

Copy of marking label:

|                   |                                                  |              |
|-------------------|--------------------------------------------------|--------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 8 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |              |

| Table – List of Attachments                                                                                                                                                                                                    |                        |                            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|----------------------------|
| Attachment No.                                                                                                                                                                                                                 | Attachment Description | No. of pages in Attachment |
| Attachment – 1                                                                                                                                                                                                                 | Photo Document         | xx                         |
|                                                                                                                                                                                                                                |                        |                            |
| <b>General remarks:</b><br>The test results presented in this report relate only to the object tested.<br>This report shall not be reproduced, except in full, without the written approval of the Issuing testing laboratory. |                        |                            |
| <b>Possible test case verdicts:</b><br>- test case does not apply to the test object ..... : N/A<br>- test object does meet the requirement ..... : P (Pass)<br>- test object does not meet the requirement..... : F (Fail)    |                        |                            |
| <b>Testing</b> ..... :<br>Date of receipt of test item ..... :<br>Date(s) of performance of tests ..... :                                                                                                                      |                        |                            |
| <b>Laboratory conditions</b> ..... :<br>Ambient Temperature..... :<br>Ambient Humidity ..... :                                                                                                                                 |                        |                            |

|                                                                                                 |                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |
|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|
| <b>Test item particulars</b> .....                                                              |                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |
| Equipment mobility .....                                                                        | <input type="checkbox"/> movable                                                                                                                                                                                                                                                                                                                    | <input type="checkbox"/> hand-held <input type="checkbox"/> transportable        |
|                                                                                                 | <input type="checkbox"/> stationary                                                                                                                                                                                                                                                                                                                 | <input type="checkbox"/> for building-in <input type="checkbox"/> direct plug-in |
| Connection to the mains.....                                                                    | <input type="checkbox"/> pluggable equipment <input type="checkbox"/> type A <input type="checkbox"/> type B<br><input type="checkbox"/> permanent connection<br><input type="checkbox"/> detachable power supply cord<br><input type="checkbox"/> non-detachable power supply cord<br><input type="checkbox"/> not directly connected to the mains |                                                                                  |
| Operating condition .....                                                                       | <input type="checkbox"/> continuous<br><input type="checkbox"/> rated operating / resting time:                                                                                                                                                                                                                                                     |                                                                                  |
| Access location .....                                                                           | <input type="checkbox"/> operator accessible<br><input type="checkbox"/> restricted access location                                                                                                                                                                                                                                                 |                                                                                  |
| Over voltage category (OVC) .....                                                               | <input type="checkbox"/> OVC I <input type="checkbox"/> OVC II <input type="checkbox"/> OVC III <input type="checkbox"/> OVC IV<br><input type="checkbox"/> other:                                                                                                                                                                                  |                                                                                  |
| Mains supply tolerance (%) or absolute mains supply values .....                                | -10%, +6% <OR> ±10%                                                                                                                                                                                                                                                                                                                                 |                                                                                  |
| Class of equipment .....                                                                        | <input type="checkbox"/> Class I <input type="checkbox"/> Class II <input type="checkbox"/> Class III<br><input type="checkbox"/> Not classified                                                                                                                                                                                                    |                                                                                  |
| Considered current rating of protective device as a part of the building installation (A) ..... | 16A (for India)                                                                                                                                                                                                                                                                                                                                     |                                                                                  |
| Pollution degree (PD) .....                                                                     | <input type="checkbox"/> PD 1 <input type="checkbox"/> PD 2 <input type="checkbox"/> PD 3                                                                                                                                                                                                                                                           |                                                                                  |
| IP protection class .....                                                                       | IPXX or Not rated, indoor use only                                                                                                                                                                                                                                                                                                                  |                                                                                  |
| Altitude during operation (m) .....                                                             | Up to 2000                                                                                                                                                                                                                                                                                                                                          |                                                                                  |
| Altitude of test laboratory (m) .....                                                           | < 1000                                                                                                                                                                                                                                                                                                                                              |                                                                                  |
| Mass of equipment (kg) .....                                                                    |                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |
| <b>Abbreviations that may be used throughout this test report:</b>                              |                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |
| PE/PB .....                                                                                     | protective earth/protective bonding                                                                                                                                                                                                                                                                                                                 | Pri .....                                                                        |
| CB.....                                                                                         | circuit breaker                                                                                                                                                                                                                                                                                                                                     | sec.....                                                                         |
| (SW)PS.....                                                                                     | (switching) power supply                                                                                                                                                                                                                                                                                                                            | gnd.....                                                                         |
| HV.....                                                                                         | high voltage                                                                                                                                                                                                                                                                                                                                        | I/O.....                                                                         |
| PCB .....                                                                                       | printed circuit (wiring) board                                                                                                                                                                                                                                                                                                                      | ii.....                                                                          |
| TIW .....                                                                                       | triple insulated wire                                                                                                                                                                                                                                                                                                                               | PSU.....                                                                         |
| B/I .....                                                                                       | built-in application (compliance shall be guarantee in host equipment)                                                                                                                                                                                                                                                                              |                                                                                  |
| F/B/S/R : Functional/Basic/Supplementary/Reinforced Insulation                                  |                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |

**General product information:****1) Application details / Description of the product:**

Max. specified ambient temperature (°C).....: ?? °C

Laser classification .....: &lt; delete this line, if not applicable &gt;

**2) Differences between the models:**

(N/A, one single model)

&lt;OR&gt;

&lt; describe the constructional differences in such general terms, that the informed reader can still make a rough evaluation of their safety relevance &gt;

**Model No. tested with-in the family series .:** ??**3) Options:**

The equipment was tested without any optional accessory installed. Hence, this report does not cover parameters that are influenced by the installation of optional accessory that might affect safety in the meaning of this standard.

## Tests relating to General Requirements

**EL 2100 – V1.0**

| Cl. No. | Test / Requirement name                                                                                                                           | Test Code  | Test result/ observation | Verdict |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------------------------|---------|
| 1.5     | Components*                                                                                                                                       | EL 2100-00 |                          |         |
| 1.5.1   | General:                                                                                                                                          | EL 2100-01 |                          |         |
|         | Components shall be complying with IEC 60950-1 or relevant component standard.                                                                    |            |                          |         |
|         | Components and subassemblies approved for IEC 62368-1 can be considered as complying with this standard                                           |            |                          |         |
| 1.5.2   | Evaluation and testing of components                                                                                                              | EL 2100-02 |                          |         |
| 1.5.3   | Thermal controls                                                                                                                                  | EL 2100-03 |                          |         |
| 1.5.4   | Transformers                                                                                                                                      | EL 2100-04 |                          |         |
| 1.5.5   | Interconnecting cables*                                                                                                                           | EL 2100-05 |                          |         |
| 1.5.6   | Capacitors bridging insulation *                                                                                                                  | EL 2100-06 |                          |         |
| 1.5.7   | Resistors bridging insulation                                                                                                                     | EL 2100-07 |                          |         |
| 1.5.7.1 | Resistors bridging functional, basic or supplementary insulation*                                                                                 | EL 2100-08 |                          |         |
| 1.5.7.2 | Resistors bridging double or reinforced insulation between a.c. mains and other circuits                                                          | EL 2100-09 |                          |         |
| 1.5.7.3 | Resistors bridging double insulation or reinforced insulation between the a.c. mains supply and circuits connected to an antenna or coaxial cable | EL 2100-10 |                          |         |
| 1.5.8   | Components in equipment for IT power distribution systems*                                                                                        | EL 2100-11 |                          |         |
| 1.5.9   | Surge suppressors                                                                                                                                 | EL 2100-12 |                          |         |
| 1.5.9.1 | General*                                                                                                                                          | EL 2100-13 |                          |         |
| 1.5.9.2 | Protection of VDRs*                                                                                                                               | EL 2100-14 |                          |         |
| 1.5.9.3 | Bridging of functional insulation by a VDR*                                                                                                       | EL 2100-15 |                          |         |
| 1.5.9.4 | Bridging of basic insulation by a VDR*                                                                                                            | EL 2100-16 |                          |         |
| 1.5.9.5 | Bridging of supplementary, double or reinforced insulation by a VDR*                                                                              | EL 2100-17 |                          |         |

Report No. xxxxxx

IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 /

Page 12 of 95

Dated: xxxxxx

IEC 60950-1: 2005 + A1:2009 + A2 : 2013

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested.

.....  
 (Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 13 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

Tests relating to Electrical Safety

**EL 2101 – V1.0**

| Cl. No. | Test / Requirement name               | Test Code  | Test result/ observation | Verdict |
|---------|---------------------------------------|------------|--------------------------|---------|
| 1.6     | Power interface*                      | EL 2101-00 |                          |         |
| 1.6.1   | AC power distribution systems*        | EL 2101-01 |                          |         |
| 1.6.2   | Input current                         | EL 2101-02 |                          |         |
| 1.6.3   | Voltage limit of hand-held equipment* | EL 2101-03 |                          |         |
| 1.6.4   | Neutral conductor *                   | EL 2101-04 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested.

.....  
 (Approving Authority)

## Tests relating to Marking Requirements

**EL 2102 – V1.0**

| Cl. No. | Test / Requirement name                                                                                                                                         | Test Code  | Test result/ observation | Verdict |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------------------------|---------|
| 1.7     | Marking and instructions*                                                                                                                                       | EL 2102-00 |                          |         |
| 1.7.1   | Power rating and identification markings                                                                                                                        |            |                          |         |
| 1.7.1.1 | Power rating marking*                                                                                                                                           | EL 2102-01 |                          |         |
|         | Rated voltage(s) or voltage ranges(s) (V)*.                                                                                                                     | EL 2102-02 |                          |         |
|         | Multiple mains supply connections*.                                                                                                                             | EL 2102-03 |                          |         |
|         | Symbol for nature of supply, for d.c. only*:                                                                                                                    | EL 2102-04 |                          |         |
|         | Rated frequency or rated frequency range (Hz) *:                                                                                                                | EL 2102-05 |                          |         |
|         | Rated current (mA or A)*:                                                                                                                                       | EL 2102-06 |                          |         |
| 1.7.1.2 | Identification markings*                                                                                                                                        | EL 2102-07 |                          |         |
|         | Manufacturer's name or trade-mark or identification mark *:                                                                                                     | EL 2102-08 |                          |         |
|         | Model identification or type reference *:                                                                                                                       | EL 2102-09 |                          |         |
|         | Symbol for Class II equipment only* :                                                                                                                           | EL 2102-10 |                          |         |
|         | Other markings and symbols*:                                                                                                                                    | EL 2102-11 |                          |         |
| 1.7.1.3 | Use of graphical symbols*                                                                                                                                       | EL 2102-12 |                          |         |
| 1.7.2   | Safety instructions and marking*                                                                                                                                | EL 2102-13 |                          |         |
| 1.7.2.1 | General                                                                                                                                                         | EL 2102-14 |                          |         |
| 1.7.2.2 | Disconnect devices*                                                                                                                                             | EL 2102-15 |                          |         |
| 1.7.2.3 | Overcurrent protective devices*                                                                                                                                 | EL 2102-16 |                          |         |
| 1.7.2.4 | IT power distribution systems*                                                                                                                                  | EL 2102-17 |                          |         |
| 1.7.2.5 | Operator access with a tool*                                                                                                                                    | EL 2102-18 |                          |         |
| 1.7.2.6 | Ozone*                                                                                                                                                          | EL 2102-19 |                          |         |
| 1.7.3   | Short duty cycles*                                                                                                                                              | EL 2102-20 |                          |         |
| 1.7.4   | Supply voltage adjustment*                                                                                                                                      | EL 2102-21 |                          |         |
| 1.7.5   | Power outlets on the equipment*                                                                                                                                 | EL 2102-22 |                          |         |
| 1.7.6   | Fuse identification (marking, special fusing characteristics, cross-reference)<br><br>Fuse(s) shall clearly and adequately marked with fuse number and rating*. | EL 2102-23 |                          |         |
| 1.7.7   | Wiring terminals                                                                                                                                                | EL 2102-24 |                          |         |

## Tests relating to Marking Requirements

**EL 2102 – V1.0**

| Cl. No. | Test / Requirement name                     | Test Code  | Test result/ observation | Verdict |
|---------|---------------------------------------------|------------|--------------------------|---------|
| 1.7.7.1 | Protective earthing and bonding terminals*  | EL 2102-25 |                          |         |
| 1.7.7.2 | Terminals for a.c. mains supply conductors* | EL 2102-26 |                          |         |
| 1.7.7.3 | Terminals for d.c. mains supply conductors* | EL 2102-27 |                          |         |
| 1.7.8   | Controls and indicators                     | EL 2102-28 |                          |         |
| 1.7.8.1 | Identification, location and marking *:     | EL 2102-29 |                          |         |
| 1.7.8.2 | Colours*                                    | EL 2102-30 |                          |         |
| 1.7.8.3 | Symbols according to IEC 60417*:            | EL 2102-31 |                          |         |
| 1.7.8.4 | Markings using figures* :                   | EL 2102-32 |                          |         |
| 1.7.9   | Isolation of multiple power sources*        | EL 2102-33 |                          |         |
| 1.7.10  | Thermostats and other regulating devices*   | EL 2102-34 |                          |         |
| 1.7.11  | Durability                                  | EL 2102-35 |                          |         |
| 1.7.12  | Removable parts*                            | EL 2102-36 |                          |         |
| 1.7.13  | Replaceable batteries*                      | EL 2102-37 |                          |         |
|         | Language(s)                                 |            |                          |         |
| 1.7.14  | Equipment for restricted access locations*  | EL 2102-38 |                          |         |

\*- Total number of Requirements to be observed / inspected =

Total No of applicable Requirement =

No of Requirements for which the sample passed=

Total number of tests to be conducted =

Total No of applicable Tests =

No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
(Approving Authority)

## Tests relating to Electrical Safety

**EL 2103 – V1.0**

| Cl. No. | Test / Requirement name                                                                            | Test Code  | Test result/ observation | Verdict |
|---------|----------------------------------------------------------------------------------------------------|------------|--------------------------|---------|
| 2.1     | Protection from electric shock and energy hazards*                                                 | EL 2103-00 |                          |         |
| 2.1.1   | Protection in operator access areas*                                                               | EL 2103-01 |                          |         |
| 2.1.1.1 | Access to energized parts                                                                          | EL 2103-02 |                          |         |
|         | Test by inspection :                                                                               |            |                          |         |
|         | Test with test finger (Figure 2A)                                                                  |            |                          |         |
|         | Test with test pin (Figure 2B):                                                                    |            |                          |         |
|         | Test with test probe (Figure 2C)                                                                   |            |                          |         |
| 2.1.1.2 | Battery compartments *                                                                             | EL 2103-03 |                          |         |
| 2.1.1.3 | Access to ELV wiring                                                                               | EL 2103-04 |                          |         |
|         | Working voltage (V <sub>peak</sub> or V <sub>rms</sub> ); minimum distance through insulation (mm) |            |                          |         |
| 2.1.1.4 | Access to hazardous voltage circuit wiring                                                         | EL 2103-05 |                          |         |
| 2.1.1.5 | Energy hazards :                                                                                   | EL 2103-06 |                          |         |
| 2.1.1.6 | Manual controls                                                                                    | EL 2103-07 |                          |         |
| 2.1.1.7 | Discharge of capacitors in equipment                                                               |            |                          |         |
|         | Measured voltage (V); time-constant (s):                                                           | EL 2103-08 |                          |         |
| 2.1.1.8 | Energy hazards – d.c. mains supply                                                                 |            |                          |         |
|         | a) Capacitor connected to the d.c. mains supply :                                                  | EL 2103-09 |                          |         |
|         | b) Internal battery connected to the d.c. mains supply :                                           | EL 2103-10 |                          |         |
| 2.1.1.9 | Audio amplifiers to be tested according to IEC 60065, cl. 9.1.1.:                                  | EL 2103-11 |                          |         |
| 2.1.2   | Protection in service access areas                                                                 | EL 2103-12 |                          |         |
| 2.1.3   | Protection in restricted access locations                                                          | EL 2103-13 |                          |         |

\*- Total number of Requirements to be observed / inspected =

Total No of applicable Requirement =

No of Requirements for which the sample passed=

Total number of tests to be conducted =

Total No of applicable Tests =

No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....

(Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 17 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

Tests relating to Electrical Safety

**EL 2104 – V1.0**

| Cl. No. | Test / Requirement name                          | Test Code  | Test result/ observation | Verdict |
|---------|--------------------------------------------------|------------|--------------------------|---------|
| 2.2     | SELV circuits*                                   | EL 2104-00 |                          |         |
| 2.2.2   | Voltages under normal conditions                 | EL 2104-01 |                          |         |
| 2.2.3   | Voltages under fault conditions                  | EL 2104-02 |                          |         |
| 2.2.4   | Connection of SELV circuits to other circuits* : | EL 2104-03 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

## Tests relating to Electrical Safety

**EL 2105 – V1.0**

| Cl. No. | Test / Requirement name                                                                                                                                        | Test Code  | Test result/ observation | Verdict |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------------------------|---------|
| 2.3     | TNV circuits*                                                                                                                                                  | EL 2105-00 |                          |         |
| 2.3.1   | Type of TNV circuits:<br>TNV-1 / TNV-2 / TNV-3                                                                                                                 | EL 2105-01 |                          |         |
|         | a) Limits of TNV-1:                                                                                                                                            | EL 2105-02 |                          |         |
|         | b) Limits of TNV-2 or TNV-3:<br>Continuous voltages,<br>combination of AC and DC<br>values, are such that :<br>$\frac{U_{ac}}{71} + \frac{U_{dc}}{120} \leq 1$ | EL 2105-03 |                          |         |
| 2.3.2   | Separation from other circuits<br>and from accessible parts*                                                                                                   | EL 2105-04 |                          |         |
| 2.3.2.1 | General Requirements                                                                                                                                           | EL 2105-05 |                          |         |
| 2.3.2.2 | Protection by basic insulation                                                                                                                                 | EL 2105-06 |                          |         |
| 2.3.2.3 | Protection by earthing                                                                                                                                         | EL 2105-07 |                          |         |
| 2.3.2.4 | Protection by other<br>constructions :                                                                                                                         | EL 2105-08 |                          |         |
| 2.3.3   | Separation from hazardous<br>voltages                                                                                                                          | EL 2105-09 |                          |         |
| 2.3.4   | Connection of TNV circuits to<br>other circuits                                                                                                                | EL 2105-10 |                          |         |
| 2.3.5   | Test for operating voltages<br>generated externally                                                                                                            | EL 2105-11 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 19 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

Tests relating to Electrical Safety

**EL 2106 – V1.0**

| Cl. No. | Test / Requirement name                                   | Test Code  | Test result/ observation | Verdict |
|---------|-----------------------------------------------------------|------------|--------------------------|---------|
| 2.4     | Limited current circuits *                                | EL 2106-00 |                          |         |
| 2.4.1   | General requirements *                                    | EL 2106-01 |                          |         |
| 2.4.2   | Limit values                                              | EL 2106-02 |                          |         |
| 2.4.3   | Connection of limited current circuits to other circuits* | EL 2106-03 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 20 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

Tests relating to Electrical Safety

**EL 2107 – V1.0**

| Cl. No. | Test / Requirement name                                                                                                                   | Test Code  | Test result/ observation | Verdict |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------|------------|--------------------------|---------|
| 2.5     | Limited power sources *                                                                                                                   | EL 2107-00 |                          |         |
|         | a) Inherently limited output                                                                                                              | EL 2107-01 |                          |         |
|         | b) Impedance limited output                                                                                                               | EL 2107-02 |                          |         |
|         | c) Regulating network limited output under normal operating and single fault condition<br>Use of integrated circuit (IC) current limiters | EL 2107-03 | (See Annex CC)           |         |
|         | d) Overcurrent protective device limited output                                                                                           | EL 2107-04 |                          |         |
|         | Max. output voltage (V),<br>Max. output current (A),<br>Max. apparent power (VA)                                                          | EL 2107-05 |                          |         |
|         | Current rating of overcurrent protective device (A)                                                                                       | EL 2107-06 |                          |         |

\*- Total number of Requirements to be observed / inspected = 01

Total No of applicable Requirement =

No of Requirements for which the sample passed=

Total number of tests to be conducted = 06

Total No of applicable Tests =

No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
(Approving Authority)

## Tests relating to Electrical Safety

**EL 2108 – V1.0**

| Cl. No. | Test / Requirement name                                                                                                                                                                                                                                                         | Test Code  | Test result/ observation | Verdict |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------------------------|---------|
| 2.6     | Provisions for earthing and bonding*                                                                                                                                                                                                                                            | EL 2108-00 |                          |         |
| 2.6.1   | Protective earthing                                                                                                                                                                                                                                                             | EL 2108-01 |                          |         |
| 2.6.2   | Functional earthing :<br>The Functional earthing either separated from hazardous voltages by double or reinforced insulation or by protectively earthed screen or conductive part separated by at least basic insulation, or safely connected to Protective Bonding Conductor.* | EL 2108-02 |                          |         |
|         | Use of symbol for functional earthing:*                                                                                                                                                                                                                                         | EL 2108-03 |                          |         |
| 2.6.3   | Protective earthing and protective bonding conductors*                                                                                                                                                                                                                          | EL 2108-04 |                          |         |
| 2.6.3.2 | Size of protective earthing conductors                                                                                                                                                                                                                                          | EL 2108-05 |                          |         |
|         | Rated current (A), cross-sectional area (mm <sup>2</sup> ),                                                                                                                                                                                                                     |            |                          |         |
| 2.6.3.3 | Size of protective bonding conductors                                                                                                                                                                                                                                           | EL 2108-06 |                          |         |
|         | Protective current Rating (A), cross-sectional area (mm <sup>2</sup> )                                                                                                                                                                                                          |            |                          |         |
| 2.6.3.4 | Resistance of earthing conductors and their terminations; resistance ( $\Omega$ ), voltage drop (V), test current (A), duration (min):                                                                                                                                          | EL 2108-07 |                          |         |
| 2.6.3.5 | Colour of insulation*:                                                                                                                                                                                                                                                          | EL 2108-08 |                          |         |
| 2.6.4   | Terminals                                                                                                                                                                                                                                                                       |            |                          |         |
| 2.6.4.2 | Protective earthing and bonding terminals : Rated current(A), Type, Nominal thread diameter (mm)                                                                                                                                                                                | EL 2108-09 |                          |         |
| 2.6.4.3 | Separation of the protective earthing conductor from protective bonding conductors*                                                                                                                                                                                             | EL 2108-10 |                          |         |
| 2.6.5   | Integrity of protective earthing*                                                                                                                                                                                                                                               |            |                          |         |
| 2.6.5.1 | Interconnection of equipment*                                                                                                                                                                                                                                                   | EL 2108-11 |                          |         |
| 2.6.5.2 | Components in protective earthing conductors and protective bonding conductors*                                                                                                                                                                                                 | EL 2108-12 |                          |         |
| 2.6.5.3 | Disconnection of protective earth*                                                                                                                                                                                                                                              | EL 2108-13 |                          |         |
| 2.6.5.4 | Parts that can be removed by an operator*                                                                                                                                                                                                                                       | EL 2108-14 |                          |         |
| 2.6.5.5 | Parts removed during servicing*                                                                                                                                                                                                                                                 | EL 2108-15 |                          |         |

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 22 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

|         |                                                                     |            |  |  |
|---------|---------------------------------------------------------------------|------------|--|--|
| 2.6.5.6 | Corrosion resistance*                                               | EL 2108-16 |  |  |
| 2.6.5.7 | Screws for protective bonding*                                      | EL 2108-17 |  |  |
| 2.6.5.8 | Reliance on telecommunication network or cable distribution system* | EL 2108-18 |  |  |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 23 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

## Tests relating to Electrical Safety

**EL 2109 – V1.0**

| Cl. No. | Test / Requirement name                                                                                                                                                                                                                                                                                                     | Test Code  | Test result/ observation | Verdict |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------------------------|---------|
| 2.7     | Overcurrent and earth fault protection in primary circuits*                                                                                                                                                                                                                                                                 | EL 2109-00 |                          |         |
| 2.7.1   | Basic requirements:<br>Protection in primary circuits against overcurrents, short-circuits and earth faults shall be provided, either as an integral part of the equipment or as part of building installation.                                                                                                             | EL 2109-01 |                          |         |
|         | If pluggable equipment Type B or permanently connected equipment relies on protective device external to the equipment for protection, the equipment installation Instructions shall so state and shall also specify the requirements for short-circuit protection or overcurrent protection or, where necessary, for both. |            |                          |         |
| 2.7.2   | Faults not simulated in 5.3.7* need not be fitted as an integral part of the equipment                                                                                                                                                                                                                                      | EL 2109-02 |                          |         |
| 2.7.3   | Short-circuit backup protection                                                                                                                                                                                                                                                                                             | EL 2109-03 |                          |         |
| 2.7.4   | Number and location of protective devices :                                                                                                                                                                                                                                                                                 | EL 2109-04 |                          |         |
| 2.7.5   | Protection by several devices*                                                                                                                                                                                                                                                                                              | EL 2109-05 |                          |         |
| 2.7.6   | Warning to service personnel* :                                                                                                                                                                                                                                                                                             | EL 2109-06 |                          |         |

\*- Total number of Requirements to be observed / inspected =

Total No of applicable Requirement =

No of Requirements for which the sample passed=

Total number of tests to be conducted =

Total No of applicable Tests =

No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
(Approving Authority)

## Tests relating to Electrical Safety

**EL 2110 – V1.0**

| Cl. No. | Test / Requirement name                                           | Test Code  | Test result/ observation | Verdict |
|---------|-------------------------------------------------------------------|------------|--------------------------|---------|
| 2.8     | Safety Interlocks*                                                | EL 2110-00 |                          |         |
| 2.8.1   | General principles*                                               | EL 2110-01 |                          |         |
| 2.8.2   | Protection requirements                                           | EL 2110-02 |                          |         |
| 2.8.3   | Inadvertent reactivation                                          | EL 2110-03 |                          |         |
| 2.8.4   | Fail-safe operation                                               | EL 2110-04 |                          |         |
| 2.8.5   | Moving parts                                                      | EL 2110-05 |                          |         |
| 2.8.6   | Overriding*                                                       | EL 2110-06 |                          |         |
| 2.8.7   | Switches, relays and their related circuits                       | EL 2110-07 |                          |         |
| 2.8.7.1 | Separation distances for contact gaps and their related circuits` | EL 2110-08 |                          |         |
| 2.8.7.2 | Overload test                                                     | EL 2110-09 |                          |         |
| 2.8.7.3 | Endurance test                                                    | EL 2110-10 |                          |         |
| 2.8.7.4 | Electric strength test                                            | EL 2110-11 |                          |         |
| 2.8.8   | Mechanical actuators                                              | EL 2110-12 |                          |         |

\*- Total number of Requirements to be observed / inspected =

Total No of applicable Requirement =

No of Requirements for which the sample passed=

Total number of tests to be conducted =

Total No of applicable Tests =

No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
(Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 25 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

Tests relating to Electrical Safety

**EL 2111 – V1.0**

| Cl. No. | Test / Requirement name                                                            | Test Code  | Test result/ observation | Verdict |
|---------|------------------------------------------------------------------------------------|------------|--------------------------|---------|
| 2.9     | Electrical insulation*                                                             | EL 2111-00 |                          |         |
| 2.9.1   | Properties of insulating materials*                                                | EL 2111-01 |                          |         |
| 2.9.2   | Humidity conditioning                                                              | EL 2111-02 |                          |         |
|         | Relative Humidity : 93 ±3 %,<br>Temperature: t at 40 ± 2°C<br>Duration : 120 hours |            |                          |         |
| 2.9.3   | Grade of insulation*                                                               | EL 2111-03 |                          |         |
| 2.9.4   | Separation from hazardous voltages*                                                | EL 2111-04 |                          |         |
|         | Method(s) used                                                                     |            |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

## Tests relating to Electrical Safety

**EL 2112 – V1.0**

| Cl. No.  | Test / Requirement name                                                         | Test Code  | Test result/ observation | Verdict |
|----------|---------------------------------------------------------------------------------|------------|--------------------------|---------|
| 2.10     | Clearances, creepage distances and distances through Insulation*                | EL 2112-00 |                          |         |
| 2.10.1.1 | Frequency *                                                                     | EL 2112-01 |                          |         |
| 2.10.1.2 | Pollution degrees*                                                              | EL 2112-02 |                          |         |
| 2.10.1.3 | Reduced values for functional insulation                                        | EL 2112-03 |                          |         |
| 2.10.1.4 | Intervening unconnected conductive parts                                        | EL 2112-04 |                          |         |
| 2.10.1.5 | Insulation with varying dimensions                                              | EL 2112-05 |                          |         |
| 2.10.1.6 | Special separation requirements                                                 | EL 2112-06 |                          |         |
| 2.10.1.7 | Insulation in circuits generating starting pulses                               | EL 2112-07 |                          |         |
| 2.10.2   | Determination of working voltage                                                | EL 2112-08 |                          |         |
| 2.10.2.2 | RMS working voltage                                                             | EL 2112-09 |                          |         |
| 2.10.2.3 | Peak working voltage                                                            | EL 2112-10 |                          |         |
| 2.10.3   | Clearances                                                                      | EL 2112-11 |                          |         |
| 2.10.3.1 | General                                                                         | EL 2112-12 |                          |         |
| 2.10.3.2 | Mains transient voltages*                                                       |            |                          |         |
|          | a) AC mains supply * :                                                          | EL 2112-13 |                          |         |
|          | b) Earthed d.c. mains supplies* .....                                           | EL 2112-14 |                          |         |
|          | c) Unearthed d.c. mains supplies* :                                             | EL 2112-15 |                          |         |
|          | d) Battery operation* :                                                         | EL 2112-16 |                          |         |
| 2.10.3.3 | Clearances in primary circuits                                                  | EL 2112-17 |                          |         |
| 2.10.3.4 | Clearances in secondary circuits                                                | EL 2112-18 |                          |         |
| 2.10.3.5 | Clearances in circuits having starting pulses                                   | EL 2112-19 |                          |         |
| 2.10.3.6 | Transients from a.c. mains supply :                                             | EL 2112-20 |                          |         |
| 2.10.3.7 | Transients from d.c. mains supply :                                             | EL 2112-21 |                          |         |
| 2.10.3.8 | Transients from telecommunication networks and cable distribution systems ..... | EL 2112-22 |                          |         |
| 2.10.3.9 | Measurement of transient voltages                                               |            |                          |         |
|          | a) Transients from a mains supply                                               | EL 2112-23 |                          |         |
|          | For an a.c. mains supply                                                        |            |                          |         |
|          | For a d.c. mains supply                                                         |            |                          |         |
|          | b) Transients from a telecommunication network                                  | EL 2112-24 |                          |         |

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 27 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

|           |                                                                                         |            |  |  |
|-----------|-----------------------------------------------------------------------------------------|------------|--|--|
| 2.10.4    | Creepage distances*                                                                     | EL 2112-25 |  |  |
| 2.10.4.1  | General                                                                                 | EL 2112-26 |  |  |
| 2.10.4.2  | Material group and comparative tracking index : CTI tests*                              | EL 2112-27 |  |  |
| 2.10.4.3  | Minimum creepage distances                                                              | EL 2112-28 |  |  |
| 2.10.5    | Solid insulation                                                                        | EL 2112-29 |  |  |
| 2.10.5.1  | General                                                                                 | EL 2112-30 |  |  |
| 2.10.5.2  | Distances through insulation                                                            | EL 2112-31 |  |  |
| 2.10.5.3  | Insulating compound as solid insulation                                                 | EL 2112-32 |  |  |
| 2.10.5.4  | Semiconductor devices                                                                   | EL 2112-33 |  |  |
| 2.10.5.5  | Cemented joints                                                                         | EL 2112-34 |  |  |
| 2.10.5.6  | Thin sheet material – General                                                           | EL 2112-35 |  |  |
| 2.10.5.7  | Separable thin sheet material                                                           | EL 2112-36 |  |  |
| 2.10.5.8  | Non-separable thin sheet material                                                       | EL 2112-37 |  |  |
| 2.10.5.9  | Thin sheet material – standard test procedure                                           | EL 2112-38 |  |  |
|           | Electric strength test as per Cl.5.2.2                                                  |            |  |  |
| 2.10.5.10 | Thin sheet material – alternative test procedure                                        | EL 2112-39 |  |  |
|           | Electric strength test as per Cl.5.2.2                                                  |            |  |  |
| 2.10.5.11 | Insulation in wound components                                                          | EL 2112-40 |  |  |
| 2.10.5.12 | Wire in wound components                                                                |            |  |  |
|           | If Peak Working voltage >71 V                                                           |            |  |  |
|           | a) Basic insulation not under stress                                                    | EL 2112-41 |  |  |
|           | b) Basic, supplementary, reinforced insulation                                          | EL 2112-42 |  |  |
|           | c) Compliance with Annex U                                                              | EL 2112-43 |  |  |
|           | d) Where two winding wires in contact inside wound component; angle between 45° and 90° | EL 2112-44 |  |  |
| 2.10.5.13 | Wire with solvent-based enamel in wound components                                      |            |  |  |
|           | a) Electric strength test (Type test as per Cl.5.2.2)                                   | EL 2112-45 |  |  |
|           | b) Electric Strength test (Routine test as per Cl.5.2.2)                                | EL 2112-46 |  |  |
| 2.10.5.14 | Additional insulation in wound components                                               |            |  |  |
|           | If Peak Working Voltage >71V                                                            |            |  |  |
|           | a) Basic insulation not under stress                                                    | EL 2112-47 |  |  |

|          |                                                                                      |            |  |  |
|----------|--------------------------------------------------------------------------------------|------------|--|--|
|          | b) Supplementary, reinforced insulation                                              | EL 2112-48 |  |  |
| 2.10.6   | Construction of printed boards*                                                      |            |  |  |
| 2.10.6.1 | Uncoated printed boards                                                              | EL 2112-49 |  |  |
| 2.10.6.2 | Coated printed boards                                                                | EL 2112-50 |  |  |
| 2.10.6.3 | Insulation between conductors on the same inner surface of a printed board           | EL 2112-51 |  |  |
| 2.10.6.4 | Insulation between conductors on different surfaces of a printed board*              |            |  |  |
|          | a) Minimum Thickness of insulation: 0.4mm or                                         | EL 2112-52 |  |  |
|          | b) Confirm with one of the specification and pass the relevant tests as per Table 2R | EL 2112-53 |  |  |
| 2.10.7   | Component external terminations                                                      | EL 2112-54 |  |  |
| 2.10.8   | Tests on coated printed boards and coated components                                 |            |  |  |
| 2.10.8.1 | Sample preparation and preliminary inspection*                                       | EL 2112-55 |  |  |
| 2.10.8.2 | Thermal conditioning                                                                 | EL 2112-56 |  |  |
| 2.10.8.3 | Electric strength test                                                               | EL 2112-57 |  |  |
| 2.10.8.4 | Abrasion resistance test                                                             | EL 2112-58 |  |  |
| 2.10.9   | Thermal cycling                                                                      | EL 2112-59 |  |  |
| 2.10.10  | Test for Pollution Degree 1 environment and insulating compound                      | EL 2112-60 |  |  |
| 2.10.11  | Tests for semiconductor devices and cemented joints                                  | EL 2112-61 |  |  |
| 2.10.12  | Enclosed and sealed parts                                                            | EL 2112-62 |  |  |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted :  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 29 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

Tests relating to Wiring

**EL 2113 – V1.0**

| Cl. No. | Test / Requirement name                         | Test Code  | Test result/ observation | Verdict |
|---------|-------------------------------------------------|------------|--------------------------|---------|
| 3.0     | Wiring, connections and supply*                 | EL 2113-00 |                          |         |
| 3.1.1   | Current rating and overcurrent protection       | EL 2113-01 |                          |         |
| 3.1.2   | Protection against mechanical damage*           | EL 2113-02 |                          |         |
| 3.1.3   | Securing of internal wiring*                    | EL 2113-03 |                          |         |
| 3.1.4   | Insulation of conductors                        | EL 2113-04 |                          |         |
| 3.1.5   | Beads and ceramic insulators                    | EL 2113-05 |                          |         |
| 3.1.6   | Screws for electrical contact pressure*         | EL 2113-06 |                          |         |
| 3.1.7   | Insulating materials in electrical connections* | EL 2113-07 |                          |         |
| 3.1.8   | Self-tapping and spaced thread screws*          | EL 2113-08 |                          |         |
| 3.1.9   | Termination of conductors :<br>10 N pull test   | EL 2113-09 |                          |         |
| 3.1.10  | Sleeving on wiring*                             | EL 2113-10 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

## Tests relating to Wiring

**EL 2114 – V1.0**

| Cl. No. | Test / Requirement name                                                                                                                                                                                                                                                                                                                                                                                                          | Test Code  | Test result/ observation | Verdict |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------------------------|---------|
| 3.2     | Connection to a mains supply*                                                                                                                                                                                                                                                                                                                                                                                                    | EL 2114-00 |                          |         |
| 3.2.1   | Means of connection                                                                                                                                                                                                                                                                                                                                                                                                              |            |                          |         |
| 3.2.1.1 | Connection to an a.c. mains supply*                                                                                                                                                                                                                                                                                                                                                                                              | EL 2114-01 |                          |         |
| 3.2.1.2 | Connection to a d.c. mains supply*                                                                                                                                                                                                                                                                                                                                                                                               | EL 2114-02 |                          |         |
| 3.2.2   | Multiple supply connections                                                                                                                                                                                                                                                                                                                                                                                                      | EL 2114-03 |                          |         |
| 3.2.3   | Permanently connected equipment                                                                                                                                                                                                                                                                                                                                                                                                  | EL 2114-04 |                          |         |
| 3.2.4   | Appliance inlets:<br>Are so Located that parts at hazardous voltage are not accessible during insertion or removal of the connector, connector can be inserted without difficulty and after insertion of the connector, the equipment is not supported by the connector for any position of normal use on a flat surface<br>( appliance inlets complying with IEC 60309 or IEC 60320 considered to comply with this requirement. | EL 2114-05 |                          |         |
| 3.2.5   | Power supply cords                                                                                                                                                                                                                                                                                                                                                                                                               |            |                          |         |
| 3.2.5.1 | AC power supply cords*                                                                                                                                                                                                                                                                                                                                                                                                           | EL 2114-06 |                          |         |
|         | Rated current (A), cross-sectional area (mm <sup>2</sup> ), AWG                                                                                                                                                                                                                                                                                                                                                                  |            |                          |         |
| 3.2.5.2 | DC power supply cords*                                                                                                                                                                                                                                                                                                                                                                                                           | EL 2114-07 |                          |         |
| 3.2.6   | Cord anchorages and strain relief                                                                                                                                                                                                                                                                                                                                                                                                |            |                          |         |
|         | Mass of the equipment:<br>Pull Force (N):                                                                                                                                                                                                                                                                                                                                                                                        | EL 2114-08 |                          |         |
|         | b) Longitudinal displacement: 2 mm (Max)                                                                                                                                                                                                                                                                                                                                                                                         | EL 2114-09 |                          |         |
| 3.2.7   | Protection against mechanical damage                                                                                                                                                                                                                                                                                                                                                                                             | EL 2114-10 |                          |         |
| 3.2.8   | Cord guards                                                                                                                                                                                                                                                                                                                                                                                                                      |            |                          |         |
|         | a) Diameter or minor dimension D (mm) :<br>Test mass (g) :                                                                                                                                                                                                                                                                                                                                                                       | EL 2114-11 |                          |         |
|         | b) Radius of curvature of cord : 1.5 D (Min)                                                                                                                                                                                                                                                                                                                                                                                     | EL 2114-12 |                          |         |
| 3.2.9   | Supply wiring space                                                                                                                                                                                                                                                                                                                                                                                                              | EL 2114-13 |                          |         |

\*- Total number of Requirements to be observed / inspected =

Total No of applicable Requirement =

No of Requirements for which the sample passed=

Total number of tests to be conducted =

Total No of applicable Tests =

No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....

(Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 31 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

Tests relating to Wiring

**EL 2115 – V1.0**

| Cl. No. | Test / Requirement name                                                     | Test Code  | Test result/ observation | Verdict |
|---------|-----------------------------------------------------------------------------|------------|--------------------------|---------|
| 3.3     | Wiring terminals for connection of external conductors*                     | EL 2115-00 |                          |         |
| 3.3.1   | Wiring terminals*                                                           | EL 2115-01 |                          |         |
| 3.3.2   | Connection of non-detachable power supply cords                             | EL 2115-02 |                          |         |
| 3.3.3   | Screw terminals*                                                            | EL 2115-03 |                          |         |
| 3.3.4   | Conductor sizes to be connected                                             | EL 2115-04 |                          |         |
|         | Rated current (A), cord/cable type, cross-sectional area (mm <sup>2</sup> ) |            |                          |         |
| 3.3.5   | Wiring terminal sizes                                                       | EL 2115-05 |                          |         |
|         | Rated current (A), type, nominal thread diameter (mm)                       |            |                          |         |
| 3.3.6   | Wiring terminal design                                                      | EL 2115-06 |                          |         |
| 3.3.7   | Grouping of wiring terminals*                                               | EL 2115-07 |                          |         |
| 3.3.8   | Stranded wire                                                               | EL 2115-08 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

## Tests relating to Wiring

**EL 2116 – V1.0**

| Cl. No. | Test / Requirement name                                                                                                                  | Test Code  | Test result/ observation | Verdict |
|---------|------------------------------------------------------------------------------------------------------------------------------------------|------------|--------------------------|---------|
| 3.4     | Disconnection from the mains supply*                                                                                                     | EL 2116-00 |                          |         |
| 3.4.1   | General Requirement<br>A disconnect device or devices shall be provided to disconnect the equipment from the mains supply for servicing. | EL 2116-01 |                          |         |
| 3.4.2   | Disconnect devices*                                                                                                                      | EL 2116-02 |                          |         |
| 3.4.3   | Permanently connected equipment*                                                                                                         | EL 2116-03 |                          |         |
| 3.4.4   | Parts which remain energized*                                                                                                            | EL 2116-04 |                          |         |
| 3.4.5   | Switches in flexible cords*                                                                                                              | EL 2116-05 |                          |         |
| 3.4.6   | Number of poles - single-phase and d.c. equipment*                                                                                       | EL 2116-06 |                          |         |
| 3.4.7   | Number of poles - three-phase equipment*                                                                                                 | EL 2116-07 |                          |         |
| 3.4.8   | Switches as disconnect devices*                                                                                                          | EL 2116-08 |                          |         |
| 3.4.9   | Plugs as disconnect devices*                                                                                                             | EL 2116-09 |                          |         |
| 3.4.10  | Interconnected equipment*                                                                                                                | EL 2116-10 |                          |         |
| 3.4.11  | Multiple power sources*                                                                                                                  | EL 2116-11 |                          |         |

\*- Total number of Requirements to be observed / inspected =

Total No of applicable Requirement =

No of Requirements for which the sample passed=

Total number of tests to be conducted =

Total No of applicable Tests =

No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
(Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 33 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

Tests relating to Wiring

**EL 2117 – V1.0**

| Cl. No. | Test / Requirement name                    | Test Code  | Test result/ observation | Verdict |
|---------|--------------------------------------------|------------|--------------------------|---------|
| 3.5     | Interconnection of equipment*              | EL 2117-00 |                          |         |
| 3.5.1   | General requirements*                      | EL 2117-01 |                          |         |
| 3.5.2   | Types of interconnection circuits*         | EL 2117-02 |                          |         |
| 3.5.3   | ELV circuits as interconnection circuits * | EL 2117-03 |                          |         |
| 3.5.4   | Data ports for additional equipment        | EL 2117-04 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

## Tests relating to Mechanical Properties

**EL 2118 – V1.0**

| Cl. No. | Test / Requirement name                                                                                                                                                                                                                                                                                                                       | Test Code  | Test result/ observation | Verdict |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------------------------|---------|
| 4       | PHYSICAL REQUIREMENTS*                                                                                                                                                                                                                                                                                                                        | EL 2118-00 |                          |         |
| 4.1     | Stability                                                                                                                                                                                                                                                                                                                                     | EL 2118-01 |                          |         |
|         | a) A unit having a mass of 7 kg or more shall not fall over when tilted to an angle of 10° from its normal upright position.<br>Alternatively, the unit is placed in its intended position of use on a plane, inclined at an angle of 10° to the horizontal, and then rotated slowly through an angle of 360° about its normal vertical axis. | EL 2118-02 |                          |         |
|         | b) A floor-standing unit having a mass of 25 kg or more shall not fall over when a force equal to 20 % of the weight of the unit, but not more than 250 N, is applied in any direction except upwards, at a height not exceeding 2 m from the floor.                                                                                          | EL 2118-03 |                          |         |
|         | c) A floor-standing unit shall not fall over when a constant downward force of 800 N is applied at the point of maximum moment to any horizontal surface of at least 125 mm by at least 200 mm, at a height up to 1 m from the floor.                                                                                                         | EL 2118-04 |                          |         |

\*- Total number of Requirements to be observed / inspected =

Total No of applicable Requirement =

No of Requirements for which the sample passed=

Total number of tests to be conducted =

Total No of applicable Tests =

No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
(Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 35 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

Tests relating to Mechanical Properties

**EL 2119 – V1.0**

| Cl. No. | Test / Requirement name                        | Test Code  | Test result/ observation | Verdict |
|---------|------------------------------------------------|------------|--------------------------|---------|
| 4.2     | Mechanical Strength                            | EL 2119-00 |                          |         |
| 4.2.1   | General                                        | EL 2119-01 |                          |         |
| 4.2.2   | Steady force test, 10 N                        | EL 2119-02 |                          |         |
| 4.2.3   | Steady force test, 30 N                        | EL 2119-03 |                          |         |
| 4.2.4   | Steady force test, 250 N                       | EL 2119-04 |                          |         |
| 4.2.5   | Impact test                                    | EL 2119-05 |                          |         |
|         | a) Fall test as per Fig. 4A                    | EL 2119-06 |                          |         |
|         | b) Swing test as per Fig. 4A                   | EL 2119-07 |                          |         |
| 4.2.6   | Drop test;<br>height (mm) :                    | EL 2119-08 |                          |         |
| 4.2.7   | Stress relief test                             | EL 2119-09 |                          |         |
| 4.2.8   | Cathode Ray Tubes                              | EL 2119-10 |                          |         |
| 4.2.9   | High Pressure Lamps*                           | EL 2119-11 |                          |         |
| 4.2.10  | Wall or ceiling mounted<br>equipment; force(N) | EL 2119-12 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

## Tests relating to Mechanical Properties

**EL 2120 – V1.0**

| Cl. No.  | Test / Requirement name                                                                                                                                                  | Test Code  | Test result/ observation | Verdict |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------------------------|---------|
| 4.3      | Design and Construction*                                                                                                                                                 | EL 2120-00 |                          |         |
| 4.3.1    | Edges and corners*                                                                                                                                                       | EL 2120-01 |                          |         |
| 4.3.2    | Handles and manual controls;<br>force (N).....                                                                                                                           | EL 2120-02 |                          |         |
| 4.3.3    | Adjustable controls                                                                                                                                                      | EL 2120-03 |                          |         |
| 4.3.4    | Securing of parts                                                                                                                                                        | EL 2120-04 |                          |         |
| 4.3.5    | Connections by Plugs and<br>Sockets*                                                                                                                                     | EL 2120-05 |                          |         |
| 4.3.6    | Direct plug-in equipment                                                                                                                                                 | EL 2120-06 |                          |         |
|          | Torque                                                                                                                                                                   | EL 2120-07 |                          |         |
|          | Compliance with the relevant<br>mains plug standard                                                                                                                      | EL 2120-08 |                          |         |
| 4.3.7    | Heating elements in earthed<br>equipment*                                                                                                                                | EL 2120-09 |                          |         |
| 4.3.8    | Batteries<br>Portable secondary sealed<br>cells and batteries (other than<br>button) containing alkaline or<br>other non-acid electrolyte shall<br>comply with IEC 62133 |            |                          |         |
|          | a) Overcharging of a<br>rechargeable battery                                                                                                                             | EL 2120-10 |                          |         |
|          | b) Unintentional charging of a<br>non-rechargeable battery                                                                                                               | EL 2120-11 |                          |         |
|          | c) Reverse charging of a<br>rechargeable battery                                                                                                                         | EL 2120-12 |                          |         |
|          | d) Excessive discharging rate<br>for any battery                                                                                                                         | EL 2120-13 |                          |         |
|          | e) Electric strength as per<br>Cl.5.3.9.2                                                                                                                                | EL 2120-14 |                          |         |
| 4.3.9    | Oil & grease*                                                                                                                                                            | EL 2120-15 |                          |         |
| 4.3.10   | Dust, powders, liquids and<br>gases                                                                                                                                      | EL 2120-16 |                          |         |
| 4.3.11   | Containers for liquids or gases                                                                                                                                          | EL 2120-17 |                          |         |
| 4.3.12   | Flammable liquids                                                                                                                                                        | EL 2120-18 |                          |         |
| 4.3.13   | Radiation                                                                                                                                                                |            |                          |         |
| 4.3.13.2 | Ionizing radiation                                                                                                                                                       | EL 2120-19 |                          |         |
| 4.3.13.3 | Effect of ultraviolet (UV)<br>radiation on materials                                                                                                                     | EL 2120-20 |                          |         |

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 37 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

|            |                                                                                           |            |  |  |
|------------|-------------------------------------------------------------------------------------------|------------|--|--|
| 4.3.13.4   | Human exposure to ultraviolet (UV) radiation                                              | EL 2120-21 |  |  |
| 4.3.13.5   | Lasers (including laser diodes) and LED's:                                                |            |  |  |
| 4.3.13.5.1 | Lasers (including laser diodes) For laser see IEC 60825-1, respective part as applicable. | EL 2120-22 |  |  |
|            | Laser class .....                                                                         |            |  |  |
| 4.3.13.5.2 | Light emitting diodes (LED's)                                                             | EL 2120-23 |  |  |
| 4.3.13.6   | Other types*                                                                              | EL 2120-24 |  |  |

\*- Total number of Requirements to be observed / inspected =  
Total No of applicable Requirement =  
No of Requirements for which the sample passed=

Total number of tests to be conducted =  
Total No of applicable Tests =  
No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
(Approving Authority)

## Tests relating to Mechanical Properties

**EL 2121 – V1.0**

| Cl. No. | Test / Requirement name                                 | Test Code  | Test result/ observation                                | Verdict |
|---------|---------------------------------------------------------|------------|---------------------------------------------------------|---------|
| 4.4     | Protection against hazardous moving parts               | EL 2121-00 |                                                         |         |
| 4.4.1   | General                                                 | EL 2121-01 |                                                         |         |
| 4.4.2   | Protection in operator access areas                     | EL 2121-02 |                                                         |         |
| 4.4.3   | Protection in restricted access locations *             | EL 2121-03 |                                                         |         |
| 4.4.4   | Protection in service access areas*                     | EL 2121-04 |                                                         |         |
| 4.4.5   | Protection against moving fan blades                    | EL 2121-05 |                                                         |         |
| 4.4.5.1 | General*                                                | EL 2121-06 | m =<br>r =<br>N =<br>K =                                |         |
|         | Not considered likely to cause pain or injury. a).....: | EL 2121-07 | $\frac{r/min}{15000} + \frac{K \text{ factor}}{2400} =$ |         |
|         | Is considered likely to cause pain, not injury. b)      | EL 2121-08 | $\frac{r/min}{22000} + \frac{K \text{ factor}}{3600} =$ |         |
|         | Considered likely to cause injury. c).....:             | EL 2121-09 |                                                         |         |
| 4.4.5.2 | Protection for users*                                   | EL 2121-10 |                                                         |         |
|         | Use of symbol or warning*                               | EL 2121-11 |                                                         |         |
| 4.4.5.3 | Protection for service persons*                         | EL 2121-12 |                                                         |         |
|         | Use of symbol or warning *                              | EL 2121-13 |                                                         |         |

\*- Total number of Requirements to be observed / inspected =

Total No of applicable Requirement =

No of Requirements for which the sample passed=

Total number of tests to be conducted =

Total No of applicable Tests =

No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
(Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 39 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

Tests relating to Thermal Properties

**EL 2122 – V1.0**

| Cl. No. | Test / Requirement name           | Test Code  | Test result/ observation | Verdict |
|---------|-----------------------------------|------------|--------------------------|---------|
| 4.5     | Thermal Requirements*             | EL 2122-00 |                          |         |
| 4.5.1   | General                           | EL 2122-01 |                          |         |
| 4.5.2   | Temperature tests                 | EL 2122-02 |                          |         |
| 4.5.3   | Temperature limits for materials* | EL 2122-03 |                          |         |
| 4.5.4   | Touch temperature limits*         | EL 2122-04 |                          |         |
| 4.5.5   | Resistance to abnormal heat       | EL 2122-05 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicabl Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

## Tests relating to Mechanical Properties

**EL 2123 – V1.0**

| Cl. No. | Test / Requirement name                                                                                                                                                                                 | Test Code  | Test result/ observation | Verdict |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------------------------|---------|
| 4.6     | Openings in enclosures*                                                                                                                                                                                 | EL 2123-00 |                          |         |
| 4.6.1   | Top and side openings                                                                                                                                                                                   | EL 2123-01 |                          |         |
|         | Dimensions (mm) :                                                                                                                                                                                       |            |                          |         |
| 4.6.2   | Bottoms of fire enclosures :                                                                                                                                                                            | EL 2123-02 |                          |         |
|         | Construction of the bottom, dimensions (mm) :                                                                                                                                                           |            |                          |         |
| 4.6.3   | Doors or covers in fire enclosures*                                                                                                                                                                     | EL 2123-03 |                          |         |
| 4.6.4   | Openings in transportable equipment                                                                                                                                                                     | EL 2123-04 |                          |         |
| 4.6.4.1 | Constructional design measures                                                                                                                                                                          | EL 2123-05 |                          |         |
|         | Dimensions (mm)                                                                                                                                                                                         |            |                          |         |
| 4.6.4.2 | Evaluation measures for larger openings                                                                                                                                                                 | EL 2123-06 |                          |         |
| 4.6.4.3 | Use of metallized parts                                                                                                                                                                                 | EL 2123-07 |                          |         |
| 4.6.5   | Adhesives for constructional purposes: Compliance is checked by examination of the construction and of the available data. If such data is not available, compliance is checked by the following tests. | EL 2123-08 |                          |         |
|         | a) Temperature Conditioning at :<br>100 °C ± 2 °C for one week; or<br>90 °C ± 2 °C for three weeks;<br>or<br>82 °C ± 2 °C for eight weeks.                                                              | EL 2123-09 |                          |         |
|         | After temperature conditioning<br>b) Leave the sample between 20°C to 30°C for 1 hour                                                                                                                   | EL 2123-10 |                          |         |
|         | c) Place the sample at - 40°C±2°C for 4 hours                                                                                                                                                           | EL 2123-11 |                          |         |
|         | d) Remove and allow the sample to come to any convenient temperature between 20 °C and 30 °C for 8 h;                                                                                                   | EL 2123-12 |                          |         |
|         | e) Place the sample in a cabinet at 91 % to 95 % relative humidity for 72 h;                                                                                                                            | EL 2123-13 |                          |         |

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 41 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

|  |                                                                                                         |            |  |  |
|--|---------------------------------------------------------------------------------------------------------|------------|--|--|
|  | f) Remove the sample and leave it at any convenient temperature between 20 °C and 30 °C for 1 h;        | EL 2123-14 |  |  |
|  | g) Place the sample in an oven at the temperature used for the temperature conditioning for 4 h;        | EL 2123-15 |  |  |
|  | h) Remove the sample and allow it to reach any convenient temperature between 20 °C; and 30 °C for 8 h. | EL 2123-16 |  |  |
|  | i) The sample is then immediately subjected to the tests of Cl.4.2 as applicable.                       | EL 2123-17 |  |  |

\*- Total number of Requirements to be observed / inspected =

Total No of applicable Requirement =

No of Requirements for which the sample passed=

Total number of tests to be conducted =

Total No of applicable Tests =

No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
(Approving Authority)

## Tests relating to Fire Safety

**EL 2124 – V1.0**

| Cl. No. | Test / Requirement name                                                                                                                                                                                                                                                                                                              | Test Code  | Test result/ observation | Verdict |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------------------------|---------|
| 4.7     | Resistance to fire*                                                                                                                                                                                                                                                                                                                  | EL 2124-00 |                          |         |
| 4.7.1   | Reducing the risk of ignition and spread of flame                                                                                                                                                                                                                                                                                    |            |                          |         |
|         | Method 1, selection and application of components wiring and materials<br>OR                                                                                                                                                                                                                                                         | EL 2124-01 |                          |         |
|         | Method 2, application of all of simulated fault condition tests                                                                                                                                                                                                                                                                      | EL 2124-02 |                          |         |
| 4.7.2   | Conditions for a fire enclosure*                                                                                                                                                                                                                                                                                                     |            |                          |         |
| 4.7.2.1 | Parts requiring a fire enclosure*                                                                                                                                                                                                                                                                                                    | EL 2124-03 |                          |         |
| 4.7.2.2 | Parts not requiring a fire enclosure                                                                                                                                                                                                                                                                                                 | EL 2124-04 |                          |         |
| 4.7.3   | Materials*                                                                                                                                                                                                                                                                                                                           | EL 2124-05 |                          |         |
| 4.7.3.1 | General*                                                                                                                                                                                                                                                                                                                             | EL 2124-06 |                          |         |
|         | a) Class of material used*                                                                                                                                                                                                                                                                                                           | EL 2124-07 |                          |         |
|         | b) Where HB40 CLASS MATERIAL, HB75 CLASS MATERIAL or HBF CLASS FOAMED MATERIAL, is required, material passing the glow-wire test at 550 °C according to IEC 60695-2-11 is acceptable as an alternative.                                                                                                                              | EL 2124-08 |                          |         |
|         | c) Where it is not practical to protect components against overheating under fault conditions, the components shall be mounted on V-1 CLASS MATERIAL. Additionally, such components shall be separated from material of a class lower than V-1 CLASS MATERIAL by at least 13 mm of air, or by a solid barrier of V-1 CLASS MATERIAL. | EL 2124-09 |                          |         |
| 4.7.3.2 | Materials for fire enclosures                                                                                                                                                                                                                                                                                                        |            |                          |         |
|         | a) For MOVABLE EQUIPMENT having a total mass not exceeding 18 kg, the material of a FIRE ENCLOSURE, in the thinnest significant wall thickness used, shall be of V-1 CLASS MATERIAL or shall pass the test of Clause A.2.                                                                                                            | EL 2124-10 |                          |         |

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |            |  |  |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--|--|
|         | b) For MOVABLE EQUIPMENT having a total mass exceeding 18 kg and for all STATIONARY EQUIPMENT, the material of a FIRE ENCLOSURE, in the thinnest significant wall thickness used, shall be of 5VB CLASS MATERIAL or shall pass the test of Clause A.1.                                                                                                                                                                                                                                         | EL 2124-11 |  |  |
|         | c) Materials for components that fill an opening in a FIRE ENCLOSURE, and that are intended to be mounted in this opening shall :<br>be of V-1 CLASS MATERIAL;<br>or<br>pass the tests of Clause A.2; or<br>comply with the flammability requirements of the relevant IEC component standard                                                                                                                                                                                                   | EL 2124-12 |  |  |
|         | d) Plastic materials of a FIRE ENCLOSURE shall be located more than 13 mm through air from arcing parts such as unenclosed commutators and unenclosed switch contacts.                                                                                                                                                                                                                                                                                                                         | EL 2124-13 |  |  |
|         | e) Plastic materials of a FIRE ENCLOSURE located less than 13mm through air from non-arcing parts which, under any condition of normal or abnormal operation, could attain a temperature sufficient to ignite the material, shall be capable of passing the test of IEC 60695-2-20.<br><br>The average time to ignition of the samples shall be not less than 15sec. If the sample melts through without igniting, the time at which this occurs is not considered to be the time to ignition. | EL 2124-14 |  |  |
| 4.7.3.3 | Materials for components and other parts outside fire enclosures *                                                                                                                                                                                                                                                                                                                                                                                                                             |            |  |  |

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |            |  |  |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--|--|
|         | <p>a) Materials shall be of :</p> <ul style="list-style-type: none"> <li>– HB75 CLASS MATERIAL if the thinnest significant thickness of this material is &lt; 3 mm, or</li> <li>– HB40 CLASS MATERIAL if the thinnest significant thickness of this material is <math>\geq</math> 3 mm, or</li> <li>– HBF CLASS FOAMED MATERIAL.*</li> </ul>                                                                                                                                                                                                                                               | EL 2124-15 |  |  |
|         | <p>b) Connectors shall comply with one of the following:</p> <ul style="list-style-type: none"> <li>– be made of V-2 CLASS MATERIAL; or</li> <li>– pass the tests of Clause A.2; or</li> <li>– comply with the flammability requirements of the relevant IEC component standard; or</li> <li>– be mounted on V-1 CLASS MATERIAL and be of a small size; or</li> <li>– be located in a SECONDARY CIRCUIT supplied by a power source that is limited to a maximum of 15 VA (see 1.4.11) under normal operating conditions and after a single fault in the equipment (see 1.4.14).</li> </ul> | EL 2124-16 |  |  |
| 4.7.3.4 | Materials for components and other parts inside fire enclosures                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |            |  |  |
|         | <p>a) Inside FIRE ENCLOSURES, materials for components and other parts shall comply with one of the following:</p> <ul style="list-style-type: none"> <li>– be of V-2 CLASS MATERIAL or HF-2 CLASS FOAMED MATERIAL; or</li> <li>– pass the flammability test described in Clause A.2; or</li> <li>– meet the flammability requirements of a relevant IEC component standard that includes such requirements.</li> </ul>                                                                                                                                                                    | EL 2124-17 |  |  |
|         | Requirements for voltage dependent resistors (VDR's) are in Annex Q.*                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EL 2124-18 |  |  |

|         |                                                                                                                                                                                                                                                                                         |            |  |  |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--|--|
| 4.7.3.5 | Materials for air filter assemblies :<br>Air filter assemblies shall be constructed of V-2 CLASS MATERIAL, or HF-2 CLASS FOAMED MATERIAL.                                                                                                                                               | EL 2124-19 |  |  |
| 4.7.3.6 | Materials used in high-voltage components                                                                                                                                                                                                                                               |            |  |  |
|         | a) High-voltage components operating at peak-to-peak voltages exceeding 4 kV shall either be<br>of V-2 CLASS MATERIAL, or HF-2 CLASS FOAMED MATERIAL, or comply with 14.4 of IEC 60065 or<br>pass the needle flame test according to IEC 60695-11-5.                                    | EL 2124-20 |  |  |
|         | b) Compliance is checked by inspection of the equipment and material data sheets and, if necessary, by<br>– the tests for V-2 CLASS MATERIAL or HF-2 CLASS FOAMED MATERIAL; or<br>– the test described in 14.4 of IEC 60065; or<br>– the needle flame test according to IEC 60695-11-5. | EL 2124-21 |  |  |
|         | c) In addition to above, the following details apply, referring to clauses of IEC 60695-11-5:<br>Clause 7 - Severities                                                                                                                                                                  | EL 2124-22 |  |  |
|         | Clause 8 - Conditioning                                                                                                                                                                                                                                                                 | EL 2124-23 |  |  |
|         | Clause 11 - Evaluation of test results                                                                                                                                                                                                                                                  | EL 2124-24 |  |  |

\*- Total number of Requirements to be observed / inspected =

Total No of applicable Requirement =

No of Requirements for which the sample passed=

Total number of tests to be conducted =

Total No of applicable Tests =

No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
(Approving Authority)

## Tests relating to Insulating Properties

**EL 2125 – V1.0**

| Cl. No. | Test / Requirement name                                                                                                                                                                                                                                                                         | Test Code  | Test result/ observation | Verdict |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------------------------|---------|
| 5.0     | ELECTRICAL REQUIREMENTS AND SIMULATED ABNORMAL CONDITIONS*                                                                                                                                                                                                                                      | EL 2125-00 |                          |         |
| 5.1     | Touch current and protective conductor current*                                                                                                                                                                                                                                                 | EL 2125-01 |                          |         |
| 5.1.2   | Configuration of equipment under test (EUT)*                                                                                                                                                                                                                                                    | EL 2125-02 |                          |         |
| 5.1.2.1 | Single connection to an a.c. mains supply*                                                                                                                                                                                                                                                      | EL 2125-03 |                          |         |
| 5.1.2.2 | Redundant multiple connections to an a.c. mains supply*                                                                                                                                                                                                                                         | EL 2125-04 |                          |         |
| 5.1.2.3 | Simultaneous multiple connections to an a.c. mains supply                                                                                                                                                                                                                                       | EL 2125-05 |                          |         |
| 5.1.3   | Test circuit                                                                                                                                                                                                                                                                                    | EL 2125-06 |                          |         |
| 5.1.4   | Application of measuring instrument                                                                                                                                                                                                                                                             | EL 2125-07 |                          |         |
| 5.1.5   | Test procedure                                                                                                                                                                                                                                                                                  | EL 2125-08 |                          |         |
| 5.1.6   | Test measurements                                                                                                                                                                                                                                                                               |            |                          |         |
|         | a) r.m.s value of voltage, U <sub>2</sub> measured using the instrument as per Fig. D.1 or<br>r.m.s value of current measured using the instrument as per Fig. D.2<br>Alternatively, peak value of voltage, U <sub>2</sub> , is measured using the measuring instrument described in Clause D.1 | EL 2125-09 |                          |         |
|         | b) Measured touch current (mA):                                                                                                                                                                                                                                                                 | EL 2125-10 |                          |         |
|         | c) Calculated value of TOUCH CURRENT (mA) = U <sub>2</sub> / 500                                                                                                                                                                                                                                | EL 2125-11 |                          |         |
|         | d ) Measured protective conductor current(mA)                                                                                                                                                                                                                                                   | EL 2125-12 |                          |         |
|         | e) Max. protective conductor current =5% of Input current                                                                                                                                                                                                                                       | EL 2125-13 |                          |         |
| 5.1.7   | Equipment with touch current exceeding 3.5 mA                                                                                                                                                                                                                                                   | EL 2125-14 |                          |         |
| 5.1.7.1 | General                                                                                                                                                                                                                                                                                         | EL 2125-15 |                          |         |
| 5.1.7.2 | Simultaneous multiple connections to the supply                                                                                                                                                                                                                                                 | EL 2125-16 |                          |         |

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 47 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

|         |                                                                                                                 |            |  |  |
|---------|-----------------------------------------------------------------------------------------------------------------|------------|--|--|
| 5.1.8   | Touch currents to telecommunication networks and cable distribution systems and from telecommunication networks | EL 2125-17 |  |  |
| 5.1.8.1 | Limitation of the touch current to a telecommunication network or to a cable distribution system                | EL 2125-18 |  |  |
|         | Supply voltage (V)                                                                                              |            |  |  |
|         | Measured touch current (mA)                                                                                     |            |  |  |
|         | Max. allowed touch current (mA)                                                                                 |            |  |  |
| 5.1.8.2 | Summation of touch currents from telecommunication networks                                                     | EL 2125-19 |  |  |
|         | a) EUT with earthed telecommunication ports :                                                                   |            |  |  |
|         | b) EUT whose telecommunication ports have no reference to protective earth                                      |            |  |  |

\*- Total number of Requirements to be observed / inspected =  
Total No of applicable Requirement =  
No of Requirements for which the sample passed=

Total number of tests to be conducted =  
Total No of applicable Tests =  
No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
(Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 48 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

Tests relating to Insulating Properties

**EL 2126 – V1.0**

| Cl. No. | Test / Requirement name                                                                                                                                                                                                                                                                                                                                                                     | Test Code  | Test result/ observation | Verdict |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------------------------|---------|
| 5.2     | Electric strength*                                                                                                                                                                                                                                                                                                                                                                          | EL 2126-00 |                          |         |
| 5.2.1   | General*                                                                                                                                                                                                                                                                                                                                                                                    | EL 2126-01 |                          |         |
| 5.2.2   | Test procedure                                                                                                                                                                                                                                                                                                                                                                              |            |                          |         |
|         | a) The test voltages for electric strength for the appropriate grade of insulation [FUNCTIONAL INSULATION if required by 5.3.4 b), BASIC INSULATION, SUPPLEMENTARY INSULATION or REINFORCED INSULATION] are as specified in either:<br>– Table 5B using the PEAK WORKING VOLTAGE (U), as determined in 2.10.2; or<br>– Table 5C using the REQUIRED WITHSTAND VOLTAGE, as determined in G.4. | EL 2126-02 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 49 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

Tests relating to Insulating Properties

**EL 2127 – V1.0**

| Cl. No. | Test / Requirement name                                          | Test Code  | Test result/ observation | Verdict |
|---------|------------------------------------------------------------------|------------|--------------------------|---------|
| 5.3     | Abnormal operating and fault conditions                          | EL 2127-00 |                          |         |
| 5.3.1   | Protection against overload and abnormal operation               | EL 2127-01 |                          |         |
| 5.3.2   | Motors                                                           | EL 2127-02 |                          |         |
| 5.3.3   | Transformers                                                     | EL 2127-03 |                          |         |
| 5.3.4   | Functional insulation:                                           | EL 2127-04 |                          |         |
| 5.3.5   | Electromechanical components                                     | EL 2127-05 |                          |         |
| 5.3.6   | Audio amplifiers in ITE :                                        | EL 2127-06 |                          |         |
| 5.3.7   | Simulation of faults                                             | EL 2127-07 |                          |         |
| 5.3.8   | Unattended equipment                                             | EL 2127-08 |                          |         |
| 5.3.9   | Compliance criteria for abnormal operating and fault conditions* |            |                          |         |
| 5.3.9.1 | During the tests                                                 | EL 2127-09 |                          |         |
| 5.3.9.2 | After the tests                                                  | EL 2127-10 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

## Tests relating to Communicating Connection

**EL 2128 – V1.0**

| Cl. No. | Test / Requirement name                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Test Code  | Test result/ observation | Verdict |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------------------------|---------|
| 6.1     | Protection of telecommunication network service persons, and users of other equipment connected to the network, from hazards in the equipment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EL 2128-00 |                          |         |
| 6.1.1   | Protection from hazardous voltages                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EL 2128-01 |                          |         |
| 6.1.2   | Separation of the telecommunication network from earth*                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |            |                          |         |
| 6.1.2.1 | <p>Requirements:</p> <ul style="list-style-type: none"> <li>- Surge suppressors that bridge the insulation shall have a minimum rated operating voltage <math>U_{op}</math> of</li> </ul> $U_{op} = U_{peak} + \Delta U_{sp} + \Delta U_{sa}$ <p>Where <math>U_{peak}</math> is 360V or 180V</p> <p><math>\Delta U_{sp}</math> is the maximum increase of the rated operating voltage due to variations in component production (If not specified by the manufacturer, shall be taken as 10% of the rated operating voltage of the component)</p> <p><math>\Delta U_{sa}</math> is the maximum increase of the rated operating voltage due to the component ageing over the expected life of the equipment (If not specified by the manufacturer, shall be taken as 10% of the rated operating voltage of the component)</p> <p>-Insulation is subjected to electric strength test according to 5.2.2. The a.c test voltage is 1.5kV or 1.0kV</p> <ul style="list-style-type: none"> <li>- Components bridging the insulation that are left in place during electric strength testing shall not be damaged. There shall be no breakdown of insulation during electric strength testing.</li> </ul> | EL 2128-02 |                          |         |

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 51 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

| Cl. No. | Test / Requirement name | Test Code  | Test result/ observation | Verdict |
|---------|-------------------------|------------|--------------------------|---------|
| 6.1.2.2 | Exclusions              | EL 2128-03 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 52 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

Tests relating to Communicating Connection

**EL 2129 – V1.0**

| Cl. No. | Test / Requirement name                                                        | Test Code  | Test result/ observation | Verdict |
|---------|--------------------------------------------------------------------------------|------------|--------------------------|---------|
| 6.2     | Protection of equipment users from overvoltages on telecommunication networks* | EL 2129-00 |                          |         |
| 6.2.1   | Separation requirements                                                        | EL 2129-01 |                          |         |
| 6.2.2   | Electric strength test procedure                                               | EL 2129-02 |                          |         |
| 6.2.2.1 | Impulse test                                                                   | EL 2129-03 |                          |         |
| 6.2.2.2 | Steady-state test                                                              | EL 2129-04 |                          |         |
| 6.2.2.3 | Compliance criteria                                                            | EL 2129-05 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

## Tests relating to Communicating Connection

**EL 2130 – V1.0**

| Cl. No. | Test / Requirement name                                                                                                                                                                                                                                                                    | Test Code  | Test result/ observation | Verdict |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------------------------|---------|
| 6.3     | Protection of the telecommunication wiring system from overheating                                                                                                                                                                                                                         | EL 2130-00 |                          |         |
|         | a) If current limiting is due to the inherent impedance of the power source, the output current into any resistive load, including a short-circuit, is measured. The current limit shall not be exceeded after 60 s of test.<br>Max. output current (A) :                                  | EL 2130-01 |                          |         |
|         | b) If current limiting is provided by an overcurrent protective device having a specified time/current characteristic:<br>– the time/current characteristic shall show that a current equal to 110 % of the current limit will be interrupted within 60 min; and                           | EL 2130-02 |                          |         |
|         | c) the output current into any resistive load, including a short-circuit, with the overcurrent protective device bypassed, measured after 60 s of test, shall not exceed $1\,000/U$ , where U is the output voltage measured in accordance with 1.4.5 with all load circuits disconnected. | EL 2130-03 |                          |         |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |            |  |  |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--|--|
|  | <p>d) If current limiting is provided by an overcurrent protective device that does not have a specified time/current characteristic:</p> <ul style="list-style-type: none"> <li>– the output current into any resistive load, including a short-circuit, shall not exceed the current limit after 60 s of test; and</li> <li>– the output current into any resistive load, including a short-circuit, with the overcurrent protective device bypassed, measured after 60 s of test, shall not exceed <math>1\,000/U</math>, where <math>U</math> is the output voltage measured in accordance with 1.4.5 with all load circuits disconnected.</li> </ul> | EL 2130-04 |  |  |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--|--|

\*- Total number of Requirements to be observed / inspected =

Total No of applicable Requirement =

No of Requirements for which the sample passed=

Total number of tests to be conducted =

Total No of applicable Tests =

No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
(Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 55 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

Tests relating to Connection to cable distribution system

**EL 2131 – V1.0**

| Cl. No. | Test / Requirement name                                                                                                                                 | Test Code  | Test result/ observation | Verdict |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------------------------|---------|
| 7       | Connection to cable distribution systems*                                                                                                               | EL 2131-00 |                          |         |
| 7.1     | General requirements*                                                                                                                                   | EL 2131-01 |                          |         |
| 7.2     | Protection of cable distribution system service persons, and users of other equipment connected to the system, from hazardous voltages in the equipment | EL 2131-02 |                          |         |
| 7.3     | Protection of equipment users from overvoltages on the cable distribution system                                                                        | EL 2131-03 |                          |         |
| 7.4     | Insulation between primary circuits and cable distribution systems                                                                                      | EL 2131-04 |                          |         |
| 7.4.1   | General                                                                                                                                                 | EL 2131-05 |                          |         |
| 7.4.2   | Voltage surge test                                                                                                                                      | EL 2131-06 |                          |         |
| 7.4.3   | Impulse test                                                                                                                                            | EL 2131-07 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

## Tests relating to Fire Safety

**EL 2132 – V1.0**

| Cl. No. | Test / Requirement name                                                                                                                                                                      | Test Code  | Test result/ observation | Verdict |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------------------------|---------|
| A       | ANNEX A, TESTS FOR RESISTANCE TO HEAT AND FIRE                                                                                                                                               | EL 2132-00 |                          |         |
| A.1     | Flammability test for fire enclosures of movable equipment having a total mass exceeding 18 kg, and of stationary equipment (see 4.7.3.2)                                                    | EL 2132-01 |                          |         |
| A.1.1   | Samples:                                                                                                                                                                                     | EL 2132-02 |                          |         |
|         | Wall thickness (mm):                                                                                                                                                                         |            |                          |         |
| A.1.2   | Conditioning of samples; temperature (°C) :                                                                                                                                                  | EL 2132-03 |                          |         |
| A.1.3   | Mounting of samples :                                                                                                                                                                        | EL 2132-04 |                          |         |
| A.1.4   | Test flame (see IEC 60695-11-3)                                                                                                                                                              | EL 2132-05 |                          |         |
|         | Flame A, B, C or D :                                                                                                                                                                         |            |                          |         |
| A.1.5   | Test procedure                                                                                                                                                                               | EL 2132-06 |                          |         |
| A.1.6   | Compliance criteria                                                                                                                                                                          | EL 2132-07 |                          |         |
|         | Sample 1 burning time (s):                                                                                                                                                                   |            |                          |         |
|         | Sample 2 burning time (s):                                                                                                                                                                   |            |                          |         |
|         | Sample 3 burning time (s):                                                                                                                                                                   |            |                          |         |
| A.2     | Flammability test for fire enclosures of movable equipment having a total mass not exceeding 18 kg, and for material and components located inside fire enclosures (see 4.7.3.2 and 4.7.3.4) | EL 2132-08 |                          |         |
| A.2.1   | Samples, material:                                                                                                                                                                           | EL 2132-09 |                          |         |
|         | Wall thickness (mm):                                                                                                                                                                         |            |                          |         |
| A.2.2   | Conditioning of samples; temperature (°C) :                                                                                                                                                  | EL 2132-10 |                          |         |
| A.2.3   | Mounting of samples :                                                                                                                                                                        | EL 2132-11 |                          |         |
| A.2.4   | Test flame (see IEC 60695-11-4)                                                                                                                                                              | EL 2132-12 |                          |         |
|         | Flame A, B or C :                                                                                                                                                                            |            |                          |         |
| A.2.5   | Test procedure                                                                                                                                                                               | EL 2132-13 |                          |         |
| A.2.6   | Compliance criteria                                                                                                                                                                          | EL 2132-14 |                          |         |
|         | Sample 1 burning time (s):                                                                                                                                                                   |            |                          |         |

## Tests relating to Fire Safety

**EL 2132 – V1.0**

| Cl. No. | Test / Requirement name                              | Test Code  | Test result/ observation | Verdict |
|---------|------------------------------------------------------|------------|--------------------------|---------|
|         | Sample 2 burning time (s):                           |            |                          |         |
|         | Sample 3 burning time (s):                           |            |                          |         |
| A.2.7   | Alternative test acc. to IEC 60695-11-5, cl. 5 and 9 | EL 2132-15 |                          |         |
|         | Sample 1 burning time (s):                           |            |                          |         |
|         | Sample 2 burning time (s):                           |            |                          |         |
|         | Sample 3 burning time (s):                           |            |                          |         |
| A.3     | Hot flaming oil test (see 4.6.2)                     | EL 2132-16 |                          |         |
| A.3.1   | Mounting of samples                                  | EL 2132-17 |                          |         |
| A.3.2   | Test procedure                                       | EL 2132-18 |                          |         |
| A.3.3   | Compliance criterion                                 | EL 2132-19 |                          |         |

\*- Total number of Requirements to be observed / inspected =

Total No of applicable Requirement =

No of Requirements for which the sample passed=

Total number of tests to be conducted =

Total No of applicable Tests =

No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
(Approving Authority)

## Tests relating to Insulating Properties

**EL 2133 – V1.0**

| Cl. No. | Test / Requirement name                                                | Test Code  | Test result/ observation | Verdict |
|---------|------------------------------------------------------------------------|------------|--------------------------|---------|
| B       | ANNEX B, MOTOR TESTS UNDER ABNORMAL CONDITIONS (see 4.7.2.2 and 5.3.2) | EL 2133-00 |                          |         |
| B.1     | General requirements                                                   | EL 2133-01 |                          |         |
|         | Position :                                                             |            |                          |         |
|         | Manufacturer :                                                         |            |                          |         |
|         | Type :                                                                 |            |                          |         |
|         | Rated values :                                                         |            |                          |         |
| B.2     | Test conditions                                                        | EL 2133-02 |                          |         |
| B.3     | Maximum temperatures                                                   | EL 2133-03 |                          |         |
| B.4     | Running overload test                                                  | EL 2133-04 |                          |         |
| B.5     | Locked-rotor overload test                                             | EL 2133-05 |                          |         |
|         | Test duration (days):                                                  |            |                          |         |
|         | Electric strength test: test voltage (V) :                             |            |                          |         |
| B.6     | Running overload test for d.c. motors in secondary circuits            | EL 2133-06 |                          |         |
| B.6.1   | General                                                                | EL 2133-07 |                          |         |
| B.6.2   | Test procedure                                                         | EL 2133-08 |                          |         |
| B.6.3   | Alternative test procedure                                             | EL 2133-09 |                          |         |
| B.6.4   | Electric strength test; test voltage (V):                              | EL 2133-10 |                          |         |
| B.7     | Locked-rotor overload test for d.c. motors in secondary circuits       | EL 2133-11 |                          |         |
| B.7.1   | General                                                                | EL 2133-12 |                          |         |
| B.7.2   | Test procedure                                                         | EL 2133-13 |                          |         |
| B.7.3   | Alternative test procedure                                             | EL 2133-14 |                          |         |
| B.7.4   | Electric strength test; test voltage (V) :                             | EL 2133-15 |                          |         |
| B.8     | Test for motors with capacitors                                        | EL 2133-16 |                          |         |
| B.9     | Test for three-phase motors                                            | EL 2133-17 |                          |         |
| B.10    | Test for series motors                                                 | EL 2133-18 |                          |         |
|         | Operating voltage (V) :                                                |            |                          |         |

Report No. xxxxxx

IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 /

Page 59 of 95

Dated: xxxxxx

IEC 60950-1: 2005 + A1:2009 + A2 : 2013

\*- Total number of Requirements to be observed / inspected =

Total No of applicable Requirement =

No of Requirements for which the sample passed=

Total number of tests to be conducted =

Total No of applicable Tests =

No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
(Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 60 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

Tests relating to Electrical Safety

**EL 2134 – V1.0**

| Cl. No. | Test / Requirement name                         | Test Code  | Test result/ observation | Verdict |
|---------|-------------------------------------------------|------------|--------------------------|---------|
| C       | ANNEX C, TRANSFORMERS<br>(see 1.5.4 and 5.3.3)* | EL 2134-00 |                          |         |
|         | Position :                                      |            |                          |         |
|         | Manufacturer :                                  |            |                          |         |
|         | Type :                                          |            |                          |         |
|         | Rated values :                                  |            |                          |         |
|         | Method of protection:                           |            |                          |         |
| C.1     | Overload test                                   | EL 2134-01 |                          |         |
| C.2     | Insulation                                      | EL 2134-02 |                          |         |
|         | Protection from displacement of<br>windings:    |            |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

Tests relating to Insulating Properties

**EL 2135 – V1.0**

| Cl. No. | Test / Requirement name                                            | Test Code  | Test result/ observation | Verdict |
|---------|--------------------------------------------------------------------|------------|--------------------------|---------|
| D       | ANNEX D, MEASURING INSTRUMENTS FOR TOUCH-CURRENT TESTS (see 5.1.4) | EL 2135-00 |                          |         |
| D.1     | Measuring instrument                                               | EL 2135-01 |                          |         |
| D.2     | Alternative measuring instrument                                   | EL 2135-02 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

Tests relating to Thermal Properties

**EL 2136– V1.0**

| Cl. No. | Test / Requirement name                                   | Test Code | Test result/ observation | Verdict |
|---------|-----------------------------------------------------------|-----------|--------------------------|---------|
| E       | ANNEX E, TEMPERATURE<br>RISE OF A WINDING (see<br>1.4.13) | EL2136-00 |                          |         |

\*- Total number of Requirements to be observed / inspected =

Total No of applicable Requirement =

No of Requirements for which the sample passed=

Total number of tests to be conducted =

Total No of applicable Tests =

No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
(Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 63 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

Tests relating to Electrical Safety

**EL 2137 – V1.0**

| Cl. No. | Test / Requirement name                                                          | Test Code | Test result/ observation | Verdict |
|---------|----------------------------------------------------------------------------------|-----------|--------------------------|---------|
| F       | ANNEX F, MEASUREMENT OF CLEARANCES AND CREEPAGE DISTANCES (see 2.10 and Annex G) | EL2137-00 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

## Tests relating to Electrical safety

**EL 2138 – V1.0**

| Cl. No. | Test / Requirement name                                          | Test Code  | Test result/ observation | Verdict |
|---------|------------------------------------------------------------------|------------|--------------------------|---------|
| G       | ANNEX G, ALTERNATIVE METHOD FOR DETERMINING MINIMUM CLEARANCES   | EL 2138-00 |                          |         |
| G.1     | Clearances                                                       | EL 2138-01 |                          |         |
| G.1.1   | General                                                          | EL 2138-02 |                          |         |
| G.1.2   | Summary of the procedure for determining minimum clearances      | EL 2138-03 |                          |         |
| G.2     | Determination of mains transient voltage (V)                     | EL 2138-04 |                          |         |
| G.2.1   | AC Mains supply                                                  | EL 2138-05 |                          |         |
| G.2.2   | Earthed d.c. mains supplies                                      | EL 2138-06 |                          |         |
| G.2.3   | Unearthed d.c. mains supplies                                    | EL 2138-07 |                          |         |
| G.2.4   | Battery operation                                                | EL 2138-08 |                          |         |
| G.3     | Determination of telecommunication network transient voltage (V) | EL 2138-09 |                          |         |
| G.4     | Determination of required withstand voltage (V)                  | EL 2138-10 |                          |         |
| G.4.1   | Mains transients and internal repetitive peaks                   | EL 2138-11 |                          |         |
| G.4.2   | Transients from telecommunication networks:                      | EL 2138-12 |                          |         |
| G.4.3   | Combination of transients                                        | EL 2138-13 |                          |         |
| G.4.4   | Transients from cable distribution systems                       | EL 2138-14 |                          |         |
| G.5     | Measurement of transient voltages (V)                            | EL 2138-15 |                          |         |
|         | a) Transients from a mains supply                                |            |                          |         |
|         | For an a.c. mains supply                                         |            |                          |         |
|         | For a d.c. mains supply                                          |            |                          |         |
|         | b) Transients from a telecommunication network                   |            |                          |         |
| G.6     | Determination of minimum clearances                              | EL 2138-16 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
Total No of applicable Requirement =  
No of Requirements for which the sample passed=

Report No. xxxxxx

IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 /

Page 65 of 95

Dated: xxxxxx

IEC 60950-1: 2005 + A1:2009 + A2 : 2013

Total number of tests to be conducted =

Total No of applicable Tests =

No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
(Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 66 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

Tests relating to Radiation Safety

**EL 2139 – V1.0**

| Cl. No. | Test / Requirement name                  | Test Code  | Test result/ observation | Verdict |
|---------|------------------------------------------|------------|--------------------------|---------|
| H       | ANNEX H, IONIZING RADIATION (see 4.3.13) | EL 2139-00 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 67 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

Tests relating to Electrical Safety

**EL 2140 – V1.0**

| Cl. No. | Test / Requirement name                                     | Test Code  | Test result/ observation | Verdict |
|---------|-------------------------------------------------------------|------------|--------------------------|---------|
| J       | ANNEX J, TABLE OF ELECTROCHEMICAL POTENTIALS (see 2.6.5.6)* | EL 2140-00 |                          |         |
|         | Metal(s) used :                                             |            |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 68 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

Tests relating to General Requirement

**EL 2141 – V1.0**

| Cl. No. | Test / Requirement name                                | Test Code  | Test result/ observation | Verdict |
|---------|--------------------------------------------------------|------------|--------------------------|---------|
| K       | ANNEX K, THERMAL CONTROLS (see 1.5.3 and 5.3.8)*       | EL 2141-00 |                          |         |
| K.1     | Making and breaking capacity                           | EL 2141-01 |                          |         |
| K.2     | Thermostat reliability; operating voltage (V) :        | EL 2141-02 |                          |         |
| K.3     | Thermostat endurance test; operating voltage (V) :     | EL 2141-03 |                          |         |
| K.4     | Temperature limiter endurance; operating voltage (V) : | EL 2141-04 |                          |         |
| K.5     | Thermal cut-out reliability                            | EL 2141-05 |                          |         |
| K.6     | Stability of operation                                 | EL 2141-06 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

## Tests relating to General Requirement

**EL 2142 – V1.0**

| Cl. No. | Test / Requirement name                                                                                  | Test Code  | Test result/ observation | Verdict |
|---------|----------------------------------------------------------------------------------------------------------|------------|--------------------------|---------|
| L       | ANNEX L, NORMAL LOAD CONDITIONS FOR SOME TYPES OF ELECTRICAL BUSINESS EQUIPMENT (see 1.2.2.1 and 4.5.2)* | EL 2142-00 |                          |         |
| L.1     | Typewriters*                                                                                             | EL 2142-01 |                          |         |
| L.2     | Adding machines and cash registers*                                                                      | EL 2142-02 |                          |         |
| L.3     | Erasers*                                                                                                 | EL 2142-03 |                          |         |
| L.4     | Pencil sharpeners*                                                                                       | EL 2142-04 |                          |         |
| L.5     | Duplicators and copy machines*                                                                           | EL 2142-05 |                          |         |
| L.6     | Motor-operated files*                                                                                    | EL 2142-06 |                          |         |
| L.7     | Other business equipment*                                                                                | EL 2142-07 |                          |         |

\*- Total number of Requirements to be observed / inspected =

Total No of applicable Requirement =

No of Requirements for which the sample passed=

Total number of tests to be conducted =

Total No of applicable Tests =

No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
(Approving Authority)

## Tests relating to Electrical Safety

**EL 2143 – V1.0**

| Cl. No. | Test / Requirement name                                         | Test Code  | Test result/ observation | Verdict |
|---------|-----------------------------------------------------------------|------------|--------------------------|---------|
| M       | ANNEX M, CRITERIA FOR TELEPHONE RINGING SIGNALS (see 2.3.1)     | EL 2143-00 |                          |         |
| M.1     | Introduction*                                                   | EL 2143-01 |                          |         |
| M.2     | Method A                                                        | EL 2143-02 |                          |         |
| M.3     | Method B                                                        | EL 2143-03 |                          |         |
| M.3.1   | Ringling signal                                                 | EL 2143-04 |                          |         |
| M.3.1.1 | Frequency (Hz) .....                                            | EL 2143-05 |                          |         |
| M.3.1.2 | Voltage (V) .....                                               | EL 2143-06 |                          |         |
| M.3.1.3 | Cadence; time (s), voltage (V) ...                              | EL 2143-07 |                          |         |
| M.3.1.4 | Single fault current (mA) .....                                 | EL 2143-08 |                          |         |
| M.3.2   | Tripping device and monitoring voltage .....                    | EL 2143-09 |                          |         |
| M.3.2.1 | Conditions for use of a tripping device or a monitoring voltage | EL 2143-10 |                          |         |
| M.3.2.2 | Tripping device                                                 | EL 2143-11 |                          |         |
| M.3.2.3 | Monitoring voltage (V) .....                                    | EL 2143-12 |                          |         |

\*- Total number of Requirements to be observed / inspected =

Total No of applicable Requirement =

No of Requirements for which the sample passed=

Total number of tests to be conducted =

Total No of applicable Tests =

No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....

(Approving Authority)

Tests relating to Electrical safety

**EL 2144 – V1.0**

| Cl. No. | Test / Requirement name                                                                                 | Test Code  | Test result/ observation | Verdict |
|---------|---------------------------------------------------------------------------------------------------------|------------|--------------------------|---------|
| N       | ANNEX N, IMPULSE TEST GENERATORS (see 1.5.7.2, 1.5.7.3, 2.10.3.9, 6.2.2.1, 7.3.2, 7.4.3 and Clause G.5) | EL 2144-00 |                          |         |
| N.1     | ITU-T impulse test generators                                                                           | EL 2144-01 |                          |         |
| N.2     | IEC 60065 impulse test generator                                                                        | EL 2144-02 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
Total No of applicable Requirement =  
No of Requirements for which the sample passed=

Total number of tests to be conducted =  
Total No of applicable Tests =  
No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
(Approving Authority)

Tests relating to General Requirements

**EL 2145– V1.0**

| Cl. No. | Test / Requirement name       | Test Code  | Test result/ observation | Verdict |
|---------|-------------------------------|------------|--------------------------|---------|
| P       | ANNEX P, NORMATIVE REFERENCES | EL 2145-00 |                          |         |

\*- Total number of Requirements to be observed / inspected =

Total No of applicable Requirement =

No of Requirements for which the sample passed=

Total number of tests to be conducted =

Total No of applicable Tests =

No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
(Approving Authority)

## Tests relating to General Requirements

**EL 2146 – V1.0**

| Cl. No. | Test / Requirement name                                                                                                                                                                                                                                                  | Test Code  | Test result/ observation | Verdict |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------------------------|---------|
| Q       | ANNEX Q, Voltage dependent resistors (VDRs) (see 1.5.9.1)                                                                                                                                                                                                                | EL 2146-00 |                          |         |
|         | A VDR shall comply with iec 61051-2, whether a fire enclosure is provided or not, taking into account all of the following:                                                                                                                                              |            |                          |         |
|         | a) Preferred climatic categories<br>Lower category temperature:<br>-10°C<br>Upper category temperature:<br>+85°C<br>Duration of damp Test, steady state test:21 days                                                                                                     |            |                          |         |
|         | b) Maximum continuous voltage:<br>Atleast 1,25 times the rated voltage of the equipment or<br>Atleast 1,25 times the upper voltage of the rated voltage range                                                                                                            |            |                          |         |
|         | c) Combination pulse :                                                                                                                                                                                                                                                   | EL 2146-01 |                          |         |
|         | d) Body of the VDR shall comply with Needle flame test according to IEC 60695-11-5 with the following test severities:<br>duration of application of the test flame: 10 s<br>after flame time: 5s<br>[This test is not required if VDR complies with V-1 CLASS MATERIAL] | EL 2146-02 |                          |         |

\*- Total number of Requirements to be observed / inspected =

Total No of applicable Requirement =

No of Requirements for which the sample passed=

Total number of tests to be conducted =

Total No of applicable Tests =

No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....

(Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 74 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

**EL 2147– V1.0**

Tests relating to General Requirement

| Cl. No. | Test / Requirement name                                                            | Test Code  | Test result/ observation | Verdict |
|---------|------------------------------------------------------------------------------------|------------|--------------------------|---------|
| R       | ANNEX R, EXAMPLES OF REQUIREMENTS FOR QUALITY CONTROL PROGRAMMES*                  | EL 2147-00 |                          |         |
| R.1     | Minimum separation distances for unpopulated coated printed boards (see 2.10.6.2)* | EL 2147-01 |                          |         |
| R.2     | Reduced clearances (see 2.10.3)*                                                   | EL 2147-02 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 75 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

Tests relating to General Requirement

**EL 2148 – V1.0**

| Cl. No. | Test / Requirement name                               | Test Code  | Test result/ observation | Verdict |
|---------|-------------------------------------------------------|------------|--------------------------|---------|
| S       | ANNEX S, PROCEDURE FOR IMPULSE TESTING (see 6.2.2.3)* | EL 2148-00 |                          |         |
| S.1     | Test equipment*                                       | EL 2148-01 |                          |         |
| S.2     | Test procedure*                                       | EL 2148-02 |                          |         |
| S.3     | Examples of waveforms during impulse testing*         | EL 2148-03 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 76 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

**EL 2149 – V1.0**

Tests relating to Protection against Ingress of water

| Cl. No. | Test / Requirement name                                               | Test Code  | Test result/ observation | Verdict |
|---------|-----------------------------------------------------------------------|------------|--------------------------|---------|
| T       | ANNEX T, GUIDANCE ON PROTECTION AGAINST INGRESS OF WATER (see 1.1.2)* | EL 2149-00 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

**EL 2150 – V1.0**

## Tests relating to Wiring

| Cl. No.   | Test / Requirement name                                                                | Test Code | Test result/ observation | Verdict |
|-----------|----------------------------------------------------------------------------------------|-----------|--------------------------|---------|
| U         | ANNEX U, INSULATED WINDING WIRES FOR USE WITHOUT INTERLEAVED INSULATION (see 2.10.5.4) | EL2150-00 |                          |         |
| U.1       | GENERAL                                                                                | EL2150-01 |                          |         |
| U.2       | TYPE TESTS                                                                             | EL2150-02 |                          |         |
| U.2.1     | GENERAL                                                                                | EL2150-03 |                          |         |
| U.2.2     | ELECTRIC STRENGTH                                                                      | EL2150-04 |                          |         |
| U.2.2.1   | SOLID ROUND WINDING WIRE AND STRANDED WINDING WIRES                                    | EL2150-05 |                          |         |
| U.2.2.1.1 | WIRES WITH NOMINAL CONDUCTOR DIAMETER UPTO AND INCLUDING 0.100MM                       | EL2150-06 |                          |         |
| U.2.2.1.2 | WIRES WITH NOMINAL CONDUCTOR DIAMETER OVER 0.100MM AND INCLUDING 2.500MM               | EL2150-07 |                          |         |
| U.2.2.1.3 | WIRES WITH NOMINAL CONDUCTOR DIAMETER OVER 2.500MM                                     | EL2150-08 |                          |         |
| U.2.2.2   | SQUARE OR RECTANGULAR WIRES                                                            | EL2150-09 |                          |         |
| U.2.3     | FLEXIBILITY AND ADHERENCE                                                              | EL2150-10 |                          |         |
| U.2.4     | HEAT SHOCK                                                                             | EL2150-11 |                          |         |
| U.2.5     | RETENTION OF ELECTRIC STRENGTH AFTER BENDING                                           | EL2150-12 |                          |         |
| U.3       | TESTING DURING MANUFACTURING                                                           | EL2150-13 |                          |         |
| U.3.1     | GENERAL                                                                                | EL2150-14 |                          |         |
| U.3.2     | ROUTINE TESTS                                                                          | EL2150-15 |                          |         |
| U.3.3     | SAMPLING TEST                                                                          | EL2150-16 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
Total No of applicable Requirement =

No of Requirements for which the sample passed=  
Total number of tests to be conducted =  
Total No of applicable Tests =

No. of tests for which the sample passed=

Report No. xxxxxx

IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 /

Page 78 of 95

Dated: xxxxxx

IEC 60950-1: 2005 + A1:2009 + A2 : 2013

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
(Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 79 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

Tests relating to Electrical Safety

**EL 2151 – V1.0**

| Cl. No. | Test / Requirement name                              | Test Code  | Test result/ observation | Verdict |
|---------|------------------------------------------------------|------------|--------------------------|---------|
| V       | ANNEX V, AC POWER DISTRIBUTION SYSTEMS (see 1.6.1) * | EL 2151-00 |                          |         |
| V.1     | Introduction*                                        | EL 2151-01 |                          |         |
| V.2     | TN power distribution systems                        | EL 2151-02 |                          |         |
| V.3     | TT Power Distribution systems                        | EL 2151-03 |                          |         |
| V.4     | IT Power Distribution systems                        | EL 2151-04 |                          |         |

\*- Total number of Requirements to be observed / inspected =

Total No of applicable Requirement =

No of Requirements for which the sample passed=

Total number of tests to be conducted =

Total No of applicable Tests =

No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
(Approving Authority)

Tests relating to Electrical Safety

**EL 2152 – V1.0**

| Cl. No. | Test / Requirement name                       | Test Code  | Test result/ observation | Verdict |
|---------|-----------------------------------------------|------------|--------------------------|---------|
| W       | ANNEX W, SUMMATION OF TOUCH CURRENTS *        | EL 2152-00 |                          |         |
| W.1     | Touch current from electronic circuits*       | EL 2152-01 |                          |         |
| W.1.1   | Floating circuits*                            | EL 2152-02 |                          |         |
| W.1.2   | Earthed circuits*                             | EL 2152-03 |                          |         |
| W.2     | Interconnection of several equipments*        | EL 2152-04 |                          |         |
| W.2.1   | Isolation*                                    | EL 2152-05 |                          |         |
| W.2.2   | Common return, isolated from earth*           | EL 2152-06 |                          |         |
| W.2.3   | Common return, connected to protective earth* | EL 2152-07 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 81 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

**EL 2153– V1.0**

Tests relating to Electrical Safety

| Cl. No. | Test / Requirement name                                                | Test Code  | Test result/ observation | Verdict |
|---------|------------------------------------------------------------------------|------------|--------------------------|---------|
| X       | ANNEX X, MAXIMUM HEATING EFFECT IN TRANSFORMER TESTS (see clause C.1)* | EL 2153-00 |                          |         |
| X.1     | Determination of maximum input current*                                | EL 2153-01 |                          |         |
| X.2     | Overload test procedure*                                               | EL 2153-02 |                          |         |

\*- Total number of Requirements to be observed / inspected =

Total No of applicable Requirement =

No of Requirements for which the sample passed=

Total number of tests to be conducted =

Total No of applicable Tests =

No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
(Approving Authority)

## Tests relating to Radiation Safety

**EL 2154– V1.0**

| Cl. No. | Test / Requirement name                                     | Test Code  | Test result/ observation | Verdict |
|---------|-------------------------------------------------------------|------------|--------------------------|---------|
| Y       | ANNEX Y, ULTRAVIOLET LIGHT CONDITIONING TEST (see 4.3.13.3) | EL 2154-00 |                          |         |
| Y.1     | Test apparatus .....                                        | EL 2154-01 |                          |         |
| Y.2     | Mounting of test samples .....                              | EL 2154-02 |                          |         |
| Y.3     | Carbon-arc light-exposure apparatus .....                   | EL 2154-03 |                          |         |
| Y.4     | Xenon-arc light exposure apparatus .....                    | EL 2154-04 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
Total No of applicable Requirement =  
No of Requirements for which the sample passed=

Total number of tests to be conducted =  
Total No of applicable Tests =  
No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
(Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 83 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

**EL 2155– V1.0**

Tests relating to Electrical Safety

| Cl. No. | Test / Requirement name                                        | Test Code  | Test result/ observation | Verdict |
|---------|----------------------------------------------------------------|------------|--------------------------|---------|
| Z       | ANNEX Z, OVERVOLTAGE CATEGORIES (see 2.10.3.2 and Clause G.2)* | EL 2155-00 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 84 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

Tests relating to Mechanical Properties

**EL 2156 – V1.0**

| Cl. No. | Test / Requirement name                  | Test Code  | Test result/ observation | Verdict |
|---------|------------------------------------------|------------|--------------------------|---------|
| AA      | ANNEX AA, MANDREL TEST<br>(see 2.10.5.8) | EL 2156-00 |                          |         |

\*- Total number of Requirements to be observed / inspected =

Total No of applicable Requirement =

No of Requirements for which the sample passed=

Total number of tests to be conducted =

Total No of applicable Tests =

No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
(Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 85 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

Tests relating to Electrical Safety

**EL 2158 – V1.0**

| Cl. No. | Test / Requirement name                                 | Test Code  | Test result/ observation | Verdict |
|---------|---------------------------------------------------------|------------|--------------------------|---------|
| CC      | Evaluation of integrated circuit (IC) current limiters* | EL 2158-00 |                          |         |
| CC.1    | Integrated circuit (IC) current limiters*               | EL 2158-01 |                          |         |
| CC.2    | Test program 1                                          | EL 2158-02 |                          |         |
| CC.3    | Test program 2                                          | EL 2158-03 |                          |         |
| CC.4    | Test program 3                                          | EL 2158-04 |                          |         |
| CC.5    | Compliance                                              | EL 2158-05 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 86 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

Tests relating to Mechanical Properties

**EL 2159 – V1.0**

| Cl. No. | Test / Requirement name                                        | Test Code  | Test result/ observation | Verdict |
|---------|----------------------------------------------------------------|------------|--------------------------|---------|
| DD      | Requirements for the mounting means of rack-mounted equipment* | EL 2159-00 |                          |         |
| DD.1    | General                                                        |            |                          |         |
| DD.2    | Mechanical strength test, variable N.....:                     | EL 2159-01 |                          |         |
| DD.3    | Mechanical strength test, 250N, including end stops.....:      | EL 2159-02 |                          |         |
| DD.4    | Compliance*.....:                                              | EL 2159-03 |                          |         |

\*- Total number of Requirements to be observed / inspected =  
 Total No of applicable Requirement =  
 No of Requirements for which the sample passed=

Total number of tests to be conducted =  
 Total No of applicable Tests =  
 No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
 (Approving Authority)

## Tests relating to Mechanical Properties

**EL 2160 – V1.0**

| Cl. No. | Test / Requirement name                                                            | Test Code  | Test result/ observation | Verdict |
|---------|------------------------------------------------------------------------------------|------------|--------------------------|---------|
| EE      | ANNEX EE, Household and home/office document/media shredders                       | EL 2160-00 |                          |         |
| EE.1    | General                                                                            |            |                          |         |
| EE.2    | Markings and instructions*                                                         | EL 2160-01 |                          |         |
|         | Use of markings or symbols*.....:                                                  |            |                          |         |
|         | Information of user instructions, maintenance and/or servicing instructions*.....: |            |                          |         |
| EE.3    | Inadvertent reactivation test.....:                                                | EL 2160-02 |                          |         |
| EE.4    | Disconnection of power to hazardous moving parts*                                  | EL 2160-03 |                          |         |
|         | Use of markings or symbols*.....:                                                  |            |                          |         |
| EE.5    | Protection against hazardous moving parts                                          |            |                          |         |
|         | Test with test finger (Figure 2A).....:                                            | EL 2160-04 |                          |         |
|         | Test with wedge probe (Figure EE1 and EE2) .....                                   | EL 2160-05 |                          |         |

\*- Total number of Requirements to be observed / inspected =

Total No of applicable Requirement =

No of Requirements for which the sample passed=

Total number of tests to be conducted =

Total No of applicable Tests =

No. of tests for which the sample passed=

Certificate: It is certified that the above tests were performed and found to be passing/failing in the requirement tested.

.....  
(Approving Authority)

| 1.5.1                      | TABLE: List of components  |            |                |          |                          |  |
|----------------------------|----------------------------|------------|----------------|----------|--------------------------|--|
| Object/part no.            | Manufacturer/<br>trademark | Type/model | Technical data | Standard | Mark(s) of<br>conformity |  |
|                            |                            |            |                |          |                          |  |
|                            |                            |            |                |          |                          |  |
|                            |                            |            |                |          |                          |  |
|                            |                            |            |                |          |                          |  |
|                            |                            |            |                |          |                          |  |
|                            |                            |            |                |          |                          |  |
| Supplementary information: |                            |            |                |          |                          |  |

| 1.6.2                      | TABLE: Electrical data (in normal conditions) |                        |       |        |                       |                  |
|----------------------------|-----------------------------------------------|------------------------|-------|--------|-----------------------|------------------|
| U (V)                      | I (A)                                         | I <sub>rated</sub> (A) | P (W) | Fuse # | I <sub>fuse</sub> (A) | Condition/status |
|                            |                                               |                        |       |        |                       |                  |
|                            |                                               |                        |       |        |                       |                  |
|                            |                                               |                        |       |        |                       |                  |
|                            |                                               |                        |       |        |                       |                  |
| Supplementary information: |                                               |                        |       |        |                       |                  |

| 2.1.1.5                    | TABLE: Energy hazard measurement |                       |                       |                   |  |
|----------------------------|----------------------------------|-----------------------|-----------------------|-------------------|--|
| Voltage (rated)<br>(V)     | Current (rated)<br>(A)           | Voltage (max.)<br>(V) | Current (max.)<br>(A) | VA (max.)<br>(VA) |  |
|                            |                                  |                       |                       |                   |  |
|                            |                                  |                       |                       |                   |  |
|                            |                                  |                       |                       |                   |  |
| Supplementary information: |                                  |                       |                       |                   |  |

| 2.1.1.7                    | TABLE: Discharge test    |                        |                          |          |  |
|----------------------------|--------------------------|------------------------|--------------------------|----------|--|
| Condition                  | $\tau$ calculated<br>(s) | $\tau$ measured<br>(s) | t <sub>u→0V</sub><br>(s) | Comments |  |
|                            |                          |                        |                          |          |  |
|                            |                          |                        |                          |          |  |
| Supplementary information: |                          |                        |                          |          |  |

| 2.2.2       | TABLE: SELV measurement (under normal conditions) |                    |                    |  |
|-------------|---------------------------------------------------|--------------------|--------------------|--|
| Transformer | Location                                          | Voltage (max.) (V) | Voltage Limitation |  |

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 89 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

|                            |  | V peak | V d.c. | Component |
|----------------------------|--|--------|--------|-----------|
|                            |  |        |        |           |
|                            |  |        |        |           |
|                            |  |        |        |           |
| Supplementary information: |  |        |        |           |

|                            |                                                  |                    |          |
|----------------------------|--------------------------------------------------|--------------------|----------|
| 2.2.3                      | TABLE: SELV measurement (under fault conditions) |                    |          |
| Location                   |                                                  | Voltage (max.) (V) | Comments |
|                            |                                                  |                    |          |
|                            |                                                  |                    |          |
|                            |                                                  |                    |          |
| Supplementary information: |                                                  |                    |          |

|                            |                                            |             |              |             |            |          |
|----------------------------|--------------------------------------------|-------------|--------------|-------------|------------|----------|
| 2.4.2                      | TABLE: Limited current circuit measurement |             |              |             |            |          |
| Location                   |                                            | Voltage (V) | Current (mA) | Freq. (kHz) | Limit (mA) | Comments |
|                            |                                            |             |              |             |            |          |
|                            |                                            |             |              |             |            |          |
|                            |                                            |             |              |             |            |          |
| Supplementary information: |                                            |             |              |             |            |          |

|                                                   |                                         |        |          |         |
|---------------------------------------------------|-----------------------------------------|--------|----------|---------|
| 2.5                                               | TABLE: Limited power source measurement |        |          |         |
|                                                   |                                         | Limits | Measured | Verdict |
| According to Table 2B/2C (normal condition)       |                                         |        |          |         |
| current (in A)                                    |                                         |        |          |         |
| apparent power (in VA)                            |                                         |        |          |         |
| According to Table 2B/2C (single fault condition) |                                         |        |          |         |
| current (in A)                                    |                                         |        |          |         |
| apparent power (in VA)                            |                                         |        |          |         |
| Supplementary information:                        |                                         |        |          |         |

|                                                |                                           |                          |          |
|------------------------------------------------|-------------------------------------------|--------------------------|----------|
| 2.6.3.4                                        | TABLE: Resistance of earthing measurement |                          |          |
| Location                                       |                                           | Resistance measured (mΩ) | Comments |
|                                                |                                           |                          |          |
|                                                |                                           |                          |          |
|                                                |                                           |                          |          |
| Supplementary information: Tested current 32A. |                                           |                          |          |

&lt;OR&gt;

|                                                |                                           |                  |          |
|------------------------------------------------|-------------------------------------------|------------------|----------|
| 2.6.3.4                                        | TABLE: Resistance of earthing measurement |                  |          |
| Location                                       |                                           | Voltage drop (V) | Comments |
|                                                |                                           |                  |          |
|                                                |                                           |                  |          |
|                                                |                                           |                  |          |
| Supplementary information: Tested current 32A. |                                           |                  |          |

|                            |                                    |                 |                  |          |  |
|----------------------------|------------------------------------|-----------------|------------------|----------|--|
| 2.10.2                     | Table: Working voltage measurement |                 |                  |          |  |
| Location                   |                                    | RMS voltage (V) | Peak voltage (V) | Comments |  |
|                            |                                    |                 |                  |          |  |
|                            |                                    |                 |                  |          |  |
|                            |                                    |                 |                  |          |  |
| Supplementary information: |                                    |                 |                  |          |  |

| 2.10.3 and<br>2.10.4                                     | TABLE: Clearance and creepage distance measurements |              |                  |         |                  |         |  |
|----------------------------------------------------------|-----------------------------------------------------|--------------|------------------|---------|------------------|---------|--|
| Clearance (cl) and creepage distance (cr) at/of/between: | U peak (V)                                          | U r.m.s. (V) | Required cl (mm) | cl (mm) | Required cr (mm) | cr (mm) |  |
| Functional:                                              |                                                     |              |                  |         |                  |         |  |
|                                                          |                                                     |              |                  |         |                  |         |  |
| Basic / supplementary:                                   |                                                     |              |                  |         |                  |         |  |
|                                                          |                                                     |              |                  |         |                  |         |  |
|                                                          |                                                     |              |                  |         |                  |         |  |
|                                                          |                                                     |              |                  |         |                  |         |  |
|                                                          |                                                     |              |                  |         |                  |         |  |
| Reinforced:                                              |                                                     |              |                  |         |                  |         |  |
|                                                          |                                                     |              |                  |         |                  |         |  |
|                                                          |                                                     |              |                  |         |                  |         |  |
|                                                          |                                                     |              |                  |         |                  |         |  |
|                                                          |                                                     |              |                  |         |                  |         |  |
| Supplementary information:                               |                                                     |              |                  |         |                  |         |  |

| 2.10.5                                   | TABLE: Distance through insulation measurements |              |                  |                   |          |
|------------------------------------------|-------------------------------------------------|--------------|------------------|-------------------|----------|
| Distance through insulation (DTI) at/of: | U peak (V)                                      | U r.m.s. (V) | Test voltage (V) | Required DTI (mm) | DTI (mm) |
| Basic:                                   |                                                 |              |                  |                   |          |
|                                          |                                                 |              |                  |                   |          |
| Supplementary:                           |                                                 |              |                  |                   |          |
|                                          |                                                 |              |                  |                   |          |
| Reinforced:                              |                                                 |              |                  |                   |          |
|                                          |                                                 |              |                  |                   |          |
|                                          |                                                 |              |                  |                   |          |
| Supplementary information:               |                                                 |              |                  |                   |          |

|                                                                                       |                            |               |                         |                        |               |               |               |                   |               |
|---------------------------------------------------------------------------------------|----------------------------|---------------|-------------------------|------------------------|---------------|---------------|---------------|-------------------|---------------|
| 4.3.8                                                                                 | TABLE: Batteries           |               |                         |                        |               |               |               |                   |               |
| The tests of 4.3.8 are applicable only when appropriate battery data is not available |                            |               |                         |                        |               |               |               |                   |               |
| Is it possible to install the battery in a reverse polarity position?                 |                            |               |                         |                        |               |               |               |                   |               |
|                                                                                       | Non-rechargeable batteries |               |                         | Rechargeable batteries |               |               |               |                   |               |
|                                                                                       | Discharging                |               | Un-intentional charging | Charging               |               | Discharging   |               | Reversed charging |               |
|                                                                                       | Meas. current              | Manuf. Specs. |                         | Meas. current          | Manuf. Specs. | Meas. current | Manuf. Specs. | Meas. current     | Manuf. Specs. |
| Max. current during normal condition                                                  |                            |               |                         |                        |               |               |               |                   |               |
| Max. current during fault condition                                                   |                            |               |                         |                        |               |               |               |                   |               |
|                                                                                       |                            |               |                         |                        |               |               |               |                   |               |
| Test results:                                                                         |                            |               |                         |                        |               |               |               |                   | Verdict       |
| - Chemical leaks                                                                      |                            |               |                         |                        |               |               |               |                   |               |
| - Explosion of the battery                                                            |                            |               |                         |                        |               |               |               |                   |               |
| - Emission of flame or expulsion of molten metal                                      |                            |               |                         |                        |               |               |               |                   |               |
| - Electric strength tests of equipment after completion of tests                      |                            |               |                         |                        |               |               |               |                   |               |
| Supplementary information:                                                            |                            |               |                         |                        |               |               |               |                   |               |

|                            |                                                  |                       |                          |
|----------------------------|--------------------------------------------------|-----------------------|--------------------------|
| 4.5.5                      | TABLE: Ball pressure test of thermoplastic parts |                       |                          |
|                            | Allowed impression diameter (mm) .....: ≤ 2 mm   |                       | —                        |
| Part                       |                                                  | Test temperature (°C) | Impression diameter (mm) |
|                            |                                                  |                       |                          |
| Supplementary information: |                                                  |                       |                          |

|                   |                                                  |               |
|-------------------|--------------------------------------------------|---------------|
| Report No. xxxxxx | IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / | Page 93 of 95 |
| Dated: xxxxxx     | IEC 60950-1: 2005 + A1:2009 + A2 : 2013          |               |

| 4.6.1, 4.6.2               | Table: Enclosure opening measurements |          |  |
|----------------------------|---------------------------------------|----------|--|
| Location                   | Size (mm)                             | Comments |  |
|                            |                                       |          |  |
|                            |                                       |          |  |
| Supplementary information: |                                       |          |  |

|                            |                           |                          |                  |                |                    |          |
|----------------------------|---------------------------|--------------------------|------------------|----------------|--------------------|----------|
| 4.7                        | Table: Resistance to fire |                          |                  |                |                    |          |
| Part                       |                           | Manufacturer of material | Type of material | Thickness (mm) | Flammability class | Evidence |
|                            |                           |                          |                  |                |                    |          |
| Supplementary information: |                           |                          |                  |                |                    |          |

| 5.1.6                                                | TABLE: Touch current and protective conductor current measurement |                |                            |                |               |          |
|------------------------------------------------------|-------------------------------------------------------------------|----------------|----------------------------|----------------|---------------|----------|
|                                                      | Test voltage (V) .....                                            |                | AC .....V, .....Hz         |                |               | —        |
| Measurement location<br>(Terminal A connected to...) | Polarity (normal)<br>[mA]                                         |                | Polarity (reverse)<br>[mA] |                | Limit<br>(mA) | Comments |
|                                                      | Switch:<br>ON                                                     | Switch:<br>OFF | Switch:<br>ON              | Switch:<br>OFF |               |          |
| Earth terminal<br>("e" = open)                       |                                                                   |                |                            |                |               |          |
| Operating Panel<br>("e" = close)                     |                                                                   |                |                            |                |               |          |
|                                                      |                                                                   |                |                            |                |               |          |
| Supplementary information:                           |                                                                   |                |                            |                |               |          |

| 5.2                           | TABLE: Electric strength tests, impulse tests and voltage surge tests |                                              |                     |                       |
|-------------------------------|-----------------------------------------------------------------------|----------------------------------------------|---------------------|-----------------------|
| Test voltage applied between: |                                                                       | Voltage shape<br>(AC, DC,<br>impulse, surge) | Test voltage<br>(V) | Breakdown<br>Yes / No |
| Functional:                   |                                                                       |                                              |                     |                       |
|                               |                                                                       |                                              |                     |                       |
| Basic / supplementary:        |                                                                       |                                              |                     |                       |
|                               |                                                                       |                                              |                     |                       |
| Reinforced:                   |                                                                       |                                              |                     |                       |
|                               |                                                                       |                                              |                     |                       |
| Supplementary information:    |                                                                       |                                              |                     |                       |

Report No. xxxxxx

IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 /

Page 94 of 95

Dated: xxxxxx

IEC 60950-1: 2005 + A1:2009 + A2 : 2013

|                            |                                                                     |                    |           |        |                  |             |   |
|----------------------------|---------------------------------------------------------------------|--------------------|-----------|--------|------------------|-------------|---|
| 5.3                        | TABLE: Fault condition tests                                        |                    |           |        |                  |             |   |
|                            | Ambient temperature (°C) .....                                      |                    |           |        |                  |             | — |
|                            | Power source for EUT: Manufacturer, model/type, output rating ..... |                    |           |        |                  |             | — |
| Component No.              | Fault                                                               | Supply voltage (V) | Test time | Fuse # | Fuse current (A) | Observation |   |
|                            |                                                                     |                    |           |        |                  |             |   |
| Supplementary information: |                                                                     |                    |           |        |                  |             |   |

|                                                                |                                   |            |              |                  |         |                  |         |
|----------------------------------------------------------------|-----------------------------------|------------|--------------|------------------|---------|------------------|---------|
| C.2                                                            | TABLE: Insulation of transformers |            |              |                  |         |                  |         |
|                                                                | Transformer part name ..... :     |            |              |                  |         |                  | —       |
|                                                                | Manufacturer ..... :              |            |              |                  |         |                  | —       |
|                                                                | Type ..... :                      |            |              |                  |         |                  | —       |
| Clearance (cl) and creepage distance (cr) at/of/between:       |                                   | U peak (V) | U r.m.s. (V) | Required cl (mm) | cl (mm) | Required cr (mm) | cr (mm) |
| Primary /input winding and secondary/output winding (internal) |                                   |            |              |                  |         |                  |         |
| Primary/input winding and core (internal)                      |                                   |            |              |                  |         |                  |         |
| Secondary/output winding and core (internal)                   |                                   |            |              |                  |         |                  |         |
| Primary/input part and secondary/output part (external)        |                                   |            |              |                  |         |                  |         |
| Primary/input part and core (external)                         |                                   |            |              |                  |         |                  |         |
| Primary/input part and secondary/output winding (external)     |                                   |            |              |                  |         |                  |         |
| Secondary/output part and core (external)                      |                                   |            |              |                  |         |                  |         |
| Secondary/output part and primary/input winding (external)     |                                   |            |              |                  |         |                  |         |
|                                                                |                                   |            |              |                  |         |                  |         |
| Description of design:                                         |                                   |            |              |                  |         |                  |         |
| (a) Bobbin                                                     |                                   |            |              |                  |         |                  |         |
| Primary/input pins..... :                                      |                                   |            |              |                  |         |                  |         |
| Secondary/output pins..... :                                   |                                   |            |              |                  |         |                  |         |
| Material (manufacturer, type, ratings) ..... :                 |                                   |            |              |                  |         |                  |         |
| Thickness (mm) ..... :                                         |                                   |            |              |                  |         |                  |         |

## (b) General

Please insert here a description of the transformer design describing:

Supplementary information: