

उत्पाद मानुयल
विद्युतीय अनयुप्रयोगों के लिए तांबा तार छड़ें
IS 12444:2020 के अनुसार

PRODUCT MANUAL FOR
Copper Wire Rods for Electrical Applications
According to IS 12444:2020

भारतीय मानक ब्यूरो (अनुरूपता मूल्यांकन) विनियम की स्कीम-I के तहत यह उत्पाद मानुयल प्रमाणीकरण के प्रचलन में रीति और पारदर्शिता के सुसंगत सुनिश्चित करने के लिए सभी क्षेत्रीय/शाखा कार्यालयों एवं लाइसेंस धारियों द्वारा संदर्भ सामग्री के रूप में उपयोग किया जाएगा। बीआईएस लाइसेंस/प्रमाण पत्र प्राप्त करने के इच्छुक भावी आवेदकों द्वारा भी इस दस्तावेज़ का उपयोग किया जा सकता है।

This Product Manual shall be used as reference material by all Regional/Branch Offices & licensees to ensure coherence of practice and transparency in operation of certification under Scheme-I of Bureau of Indian Standards (Conformity Assessment) Regulations, 2018 for various products. The document may also be used by prospective applicants desirous of obtaining BIS certification licence/certificate.

1.	उत्पाद Product	:	IS 12444:2020
	शीर्षक Title	:	विद्युतीय अनयुप्रयोगों के लिए तांबा तार छड़ें Copper Wire Rods for Electrical Applications
	संशोधन संख्या No. of amendments	:	0
2.	नमूनाकरण दिशा निर्देश Sampling Guidelines		
a)	कच्चा माल Raw material	:	कोई विशेष आवश्यकता नहीं No Specific requirement
b)	समूहिकरण दिशा निर्देश Grouping Guidelines	:	कृपया Annex-A देखें Please see Annex-A
c)	नमूने का परिमाण Sample Size	:	6m for physical tests 100g drilled for chemical tests or 5 nos. of 5cm length 5m Annealed wire of 2mm dia for resistivity test
3.	परीक्षण उपकरणों की सूची List of Test Equipment	:	कृपया Annex-B देखें Please refer Annex –B
4.	निरीक्षण व परीक्षण स्कीम Scheme of Inspection and Testing	:	कृपया Annex-C देखें Please refer Annex - C
5.	एक दिन में संभावित परीक्षण Possible tests in a day	:	सभी परीक्षण All tests

6.	लाइसेन्स का कार्यक्षेत्र/Scope of the Licence :	
	IS 12444:2020 के अनुसार मानक मुहर का उपयोग करने के लिए लाइसेन्स निम्नलिखित कार्यक्षेत्र के लिए प्रदान किया जाता है Licence is granted to use Standard Mark as per IS 12444:2020 with the following scope:	
	उत्पाद का नाम Name of the product	विद्युतीय अनुप्रयोगों के लिए तांबा तार छड़ें Copper Wire Rods for Electrical Applications
	Type of Wire Rod	ETP,OFC
	Dimensions(Dia in mm)	Diameter from ...mm upto and including ...mm

ANNEXURE A
TOPRODUCT MANUAL FOR
Copper Wire Rods for Electrical Applications
According to IS 12444:2020

GROUPING GUIDELINES

1. Copper Wire Rods for Electrical Applications according to IS 12444: 2020 is classified on the basis of Type of Wire Rod, Nominal Diameter, ranging from 6 mm to 35 mm.

2. Accordingly, following grouping based on diameter of the product, shall be followed for considering grant of licence/change in licence scope as per IS 12444: 2020: -

Group	Nominal Diameter (in mm)	
	Over	Upto and including
1	6	9
2	9	12.5
3	12.5	21
4	21	35

3. One sample of each type from each group of any size for licence/change in scope of licence (CSoL) may be drawn and has to be tested for all the requirements of the specification and applicable to the size tested. If the sample passes, then licence may be granted/inclusion be done for all sizes for Copper Wire Rods for Electrical Applications of the Group, provided that the firm is having all the necessary manufacturing and testing facilities for the manufacture and testing of the sizes of Copper Wire Rods for Electrical Applications to be included in the licence.

4. Manufacturing/Testing facilities & capabilities to be verified with respect to sizes and accordingly same may be covered in the scope of licence.

5. While considering GOL/CSoL of additional varieties in licence scope, it shall be ensured that the applicant/licensee has got the complete manufacturing and testing facilities for all the sizes varieties applied.

6. During the operation of licence, BO shall ensure that all the sizes covered in the licence are drawn for independent testing on rotation over a period of time.

ANNEXURE B
TOPRODUCT MANUAL FOR
Copper Wire Rods for Electrical Applications
According to IS 12444:2020

LIST OF TEST EQUIPMENTS

Page 1 of 1

Major test equipment required to test as per requirements of Indian Standard.

Sl. No.	Test Equipment/Chemicals and Identification Numbers (Where applicable)	Tests Used in with Clause Reference
1.	Weighing balance, Scale, Micrometer, Angle Protractor or sensor rotation around the wire	Dimensions (6)
3.	Instrumental methods Optical emission spectrometer, Milling machine, Sulphur analyser, Oxygen analyser	Chemical composition (5)
4.	Electro analyser with Platinum electrodes (400 mesh/cm Gauze cathode with wire 0.2mm and spiral anode) of height 130mm, flattened and welded platinum-iridium, platinum-rhodium or platinum-ruthenium having diameter of approximately 1.5 mm (approx.), Sulphuric acid sp. Gr 1.84, Nitric acid Sp Gr 1.42, Ethanol or Methanol - 95%, Ferric Nitrate, Ammonium Hydroxide, Ammonium Sulphate, Hot plate, Hot air oven, stop watch, urea, filter paper	Cu content by electrolytic method alternative to Difference method by instrumental analysis (5)
5.	Universal Tensile Testing Machine (UTM)	Tensile Test (8.1)
6		Surface Oxide (7.2)
7	Kelvin double bridge with knife edges, Oil bath with thermometer, Hygrometer, Muffle furnace, Analytical balance	Electrical Properties (9)

Note: The above is an indicative list for the purpose of guidance only

ANNEXURE C
TOPRODUCT MANUAL FOR
Copper Wire Rods for Electrical Applications
According to IS 12444:2020

SCHEME OF INSPECTION AND TESTING

Page 1 of 3

LABORATORY - A laboratory shall be maintained which shall be suitably equipped (as per the requirement given in column 2 of Table 1) and staffed, where different tests given in the specification shall be carried out in accordance with the methods given in the specification.

1.1 The manufacturer shall prepare a calibration plan for the test equipments.

2. TEST RECORDS – The manufacturer shall maintain test records for the tests carried out to establish conformity.

3. LABELLING, MARKING–The Standard Mark as given in the Schedule of the license and Licence Number (i.e. CM/L.....) shall be incorporated, and the markings shall be done as per the provisions of the Indian Standard, provided always that the product thus marked and packed conforms to all the requirement of the specification. In addition, details of BIS website shall be stencilled or mentioned on label affixed on package of coils as follows: “For details of BIS certification please visit www.bis.gov.in”

4. CONTROL UNIT – Coils of wire rod of same size, manufactured from same charge/cast under identical conditions at the same place shall constitute a control unit.

5. LEVELS OF CONTROL - The tests as indicated in column 1 of Table 1 and the levels of control in column 3 of Table 1, shall be carried out on the whole production of the factory which is covered by this plan and appropriate records maintained in accordance with paragraph 2 above.

5.1 All the production which conforms to the Indian Standards and covered by the licence should be marked with Standard Mark.

5.2 General requirements relating to the supply of material shall conform to IS 1387.

6. TEST CERTIFICATE-For each consignment of BIS Certified material conforming to IS 12444:2020 there shall be a test certificate which shall contain the Standard Mark, the cast/Control Unit number and the corresponding test results (as given in Annexure-I enclosed)

7. REJECTIONS – Disposal of non-conforming product shall be done in such a way so as to ensure that there is no violation of provisions of BIS Act, 2016.

SCHEME OF INSPECTION AND TESTING

Page 2 of 3

TABLE 1: LEVELS OF CONTROL

(1)				(2)	(3)		(4)
TEST DETAILS					LEVELS OF CONTROL		REMARKS
Clause	Requirements	Test Method		Test equipment requirement R: required (or) S: Sub-contracting permitted	No. of Samples	Frequency	
		Clause	Reference				
4	Chemical Composition	4.1, 4.2, 4.3 8.4 & 8.5 Table 1	IS 191 IS 12444 IS 440 Or any established Chemical/ Instr. Method.	R	enO	hcaE lioc	1.The method of determination of oxygen shall be as agreed to between the supplier and the purchaser. 2.Records of agreement on methods of determination for oxygen content shall be maintained for BIS verification. Also see Note-3.
5	Dimensions and Tolerances						
	Dimensions	5.1 5.1.1	IS12444	R	Three	hcaE lioc	
	Tolerances	5.2 5.2.1, 8.3 & Table-2		R	-do-	-do-	
	Ovality of wire rod	5.2.2		R	-do-	-do-	
6	Freedom from Defects	6	IS 12444	R	Adequate inspection on each item to ensure freedom from defects		
7.1	Tensile Test	7.1,8.4.2 ,8.5.1 Table-3	IS 12444 IS 1608 Pt.1	R	One	hcaE Coil	
7.2	Surface Test (Compression Test)	7.2 8.4.2, 8.5.1	IS 12444	R	One	Each Coil	

Note-1: Whether test equipment is required or sub-contracting is permitted in column 2 shall be decided by the Bureau and shall be mandatory. Sub-contracting is permitted to a laboratory recognized by the Bureau or Government laboratories empaneled by the Bureau.

Note-2: Levels of control given in column 3 are only recommendatory in nature. The manufacturer may define the control unit/batch/lot and submit his own levels of control in column 3 with proper justification for approval by BO Head.

Note-3: The manufacturer shall declare the established instrumental method adopted for chemical analysis along with details of the reference material accompanied with test certificate used for its calibration and frequency of calibration.

ANNEXURE I**Page 3 of 3**

BIS
STANDARD
MARK

(Para 6 of the Scheme of Inspection and Testing)
XYZ COPPER COMPANY

(Registered office Address and works address)

TEST CERTIFICATE FOR Copper Wire Rods for Electrical Applications

TEST CERTIFICATE No. _____

DATE _____

To M/s _____ We certified that the material described below fully conforms to IS 12444:2020 Chemical composition, Electrical and Physical properties of the product, as tested in accordance with the Scheme of Inspection and Testing contained in the BIS Certification Marks Licence No. CM/L _____ are as indicated below against each order No.

(PLEASE REFER TO IS 12444:2020 FOR DETAILS OF SPECIFICATION REQUIREMENTS)

TEST RESULTS

Order No. & Date	(Nom Size)	Control Unit No.	Tolerances	Qty in tonnes	CHEMICAL COMPOSITION														PHYSICAL PROPERTIES			Electrical Properties
					Cu (%)	Te %	Se %	Bi %	Sb %	Ar %	Sn (%)	Pb (%)	Fe %	Ni %	O %	Ag %	S %	Total Impurities	TS	EL	Surface Oxide	

REMARKS

WAGON NO.

TRUCK NO. FOR XYZ COPPER COMPANY

(It is suggested that size A4 paper be used for this test certificate)