

## **Report of Testing of Piped Drinking Water Samples from 20 Capital Cities and Delhi**

In keeping with the objectives of the Jal Jeevan Mission of Hon'ble Prime Minister, BIS, as per the directions of Ministry of Consumer Affairs Food & PD, undertook a study of the quality of piped drinking water being supplied in the country.

2. In the first phase, the samples of drinking water were drawn from various locations across Delhi, and in the second phase, samples were drawn from 20 other state capitals.
3. The samples were drawn from different locations from piped water being supplied by city municipalities/ Corporation/ Water Board local bodies at consumer's end and sent for testing to the designated labs through couriers.
4. The samples were sent for testing as per IS 10500:2012 (Specification and Calibration laboratories) at NABL (National Accreditation Board) accredited labs across India.
5. Samples were sent for testing against 47 out of 48 parameters (excluding Radiological test). These covered Organoleptic and Physical test, Chemical tests, Toxic substance, Bacteriological, Virological and Biological test. Parameter covered are given in Annex – I.
6. A summary of city wise results of tests is given in Annex-II. This includes the results of tests against 47 parameters for Delhi. For other cities the results of Virological and Biological Tests (3 parameters) are awaited.
7. In the third phase, samples from the state capitals cities of North Eastern States and Smart Cities identified by the Ministry of Housing and Urban Affairs have been drawn and are under tests. The results of these are expected by 15th January 2020.
8. In the fourth phase, it is proposed to test samples drawn from all the district headquarters of the country and their testing is planned to be completed by 15th August 2020.

## Annex I

### Organoleptic and Physical Parameters

(Table 1 of IS 10500:2012)

Sl. No.	Parameters
1.	Colour
2.	Odour
3.	pH
4.	Taste
5.	Turbidity
6.	Total Dissolved Solids

### General Parameters Concerning Substances Undesirable In Excessive Amounts

(Table 2 of IS 10500:2012)

Sl. No.	Parameters
1.	Aluminium
2.	Ammonia
3.	Anionic surface active agents
4.	Barium
5.	Boron
6.	Calcium
7.	Chloramines
8.	Chloride
9.	Copper
10.	Fluoric
11.	Free Residual Chloride
12.	Iron
13.	Magnesium
14.	Manganese
15.	Mineral oil
16.	Nitrate
17.	Phenolic compound
18.	Selenium
19.	Silver
20.	Sulphate
21.	Sulphide
22.	Total Alkalinity
23.	Total Hardness
24.	Zinc

### Parameters concerning toxic substance

(Table 3 of IS 10500:2012)

Sl. No.	Parameters
1.	Cadmium (as Cd)
2.	Cyanide (as CN)
3.	Lead (as Pb)
4.	Mercury (as Hg)
5.	Molybdenum as Mo
6.	Nickel (as Ni)
7.	Pesticides
8.	Polychlorinated Bi phenyls (as PCB)
9.	Poly nuclear Aromatic Hydrocarbons (as PAH)
10.	Total Arsenic (as As)
11.	Total Chromium (as Cr)
12.	Trihalomethanes
	a) Bromoform
	b) Dibromochloromethane
	c) Bromodichloromethane
	d) Chloroform

### Bacteriological Quality of Drinking Water

(Table 6 of IS 10500:2012)

1	Coliform
2	Escherichia Coli

### Virological and Biological Tests

(Clause 4.2 & 4.3 of IS 10500:2012)

1	MS2 Phage
2	Cryptosporidium
3	Giardia

**ANNEX - II**

Sl. No	City	Location from which Sample Drawn	Sl. No. of Sample	Whether Conforms/ Not-Conforms	Parameter in which not Conform	Number of non-conforming parameters
01	BHOPAL	Mayur Vihar Colony, Ashoka Garden	1	Not-Conforming	Turbidity, Coliform Count, E. Coli	3/44
		Mangalwara	2	Not-Conforming	Coliform, E. Coli	2/44
		Vindhyachal Bhawan Area	3	Not-Conforming	Coliform, E. Coli	2/44
		Arera Colony	4	Not-Conforming	Colour, Turbidity, Coliform, E. Coli	4/44
		M P Nagar	5	Not-Conforming	Coliform, E. Coli	2/44
		Nr. Shri Kirhna Pranami Mandir	6	Not-Conforming	Colour, Turbidity, Coliform, E. Coli	4/44
		Kolar Road	7	Not-Conforming	Coliform, E. Coli	2/44
		Saket Nagar	8	Not-Conforming	Coliform, E. Coli	2/44
		Sankracharya Nagar	9	Not-Conforming	Coliform, E. Coli	2/44
		Habibganj	10	Not-Conforming	Coliform, E. Coli	2/44
02	JAIPUR	Lalkothi	1	Not-Conforming	Total Dissolved Solids, Calcium, Total Alkalinity, Magnesium	4/44
		Chitrakoot	2	Not-Conforming	Aluminium	1/44
		Malviyanagar	3	Not-Conforming	Turbidity, Coliform, Aluminium	3/44
		Pratapnagar	4	Not-Conforming	Total Dissolved Solids, Total Alkalinity, Aluminium, Coliform	4/44
		Shastrinagar	5	Not-Conforming	Aluminium	1/44
		Sodala	6	Not-Conforming	Total Hardness, Coliform	2/44
		Dehar ke Balaji	7	Not-Conforming	Coliform	1/44
		Jagatpura	8	Not-Conforming	Aluminium, Coliform	2/44
		Chora Rasta	9	Not-Conforming	Aluminium, Coliform	2/44
		Jawahar Nagar	10	Not-Conforming	Aluminium, Coliform	2/44

03	LUCKNOW	Gomtinagar	1	Not-Conforming	Magnesium, Total Alkalinity, Total Hardness, Coliform, E. Coli	5/44
		Vijay Khand Gomti Nagar	2	Not-Conforming	Total Alkalinity, Total Hardness, Coliform, E-Coli	4/44
		Ankiwala Park, Gomtinagar	3	Not-Conforming	Coliform, E. Coli	2/44
		Indra Nagar Sector 11, Mayawati Colony	4	Not-Conforming	Coliform, E. Coli	2/44
		Indra Nagar Sector 14	5	Not-Conforming	Magnesium, Total Alkalinity, Total Hardness, Coliform, E. Coli	5/44
		Indra Nagar Sector 19	6	Not-Conforming	Coliform, E. Coli	2/44
		Vijay Khand 2 Gomti Nagar	7	Not-Conforming	Total Dissolved Solids, Magnesium, Total Alkalinity, Total Hardness, Coliform, E. Coli	6/44
		Vinay Khand4 Gomti Nagar	8	Not-Conforming	Total Dissolved Solids, Magnesium, Total Alkalinity, Total Hardness, Coliform, E. Coli	6/44
		Vijyant khand 4 Gomti Nagar	9	Not-Conforming	Total Dissolved Solids, Magnesium, Total Alkalinity, Total Hardness, Coliform, E. Coli	6/44
		Vishesh Khand 4 Gomti Nagar	10	Not-Conforming	Coliform, E. Coli.	2/44

04	SHIMLA	Near Indira Gandhi Medical Collage	1	Not-Conforming	Aluminium	1/44
		Sanjoli	2	Not-Conforming	Aluminium	1/44
		Balluganj	3	Conforms	-----	0/44
		HP University Campus	4	Not-Conforming	Aluminium	1/44
		IPH, Kusumpati	5	Not-Conforming	Aluminium	1/44
		HPSEB Complaint Office, Kusumpati	6	Not-Conforming	Aluminium	1/44
		Lower Bazar	7	Not-Conforming	Aluminium	1/44
		Lakkar Bazar	8	Not-Conforming	Aluminium	1/44
		Kanlog	9	Not-Conforming	Aluminium	1/44
		Old Bus Stand,	10	Not-Conforming	Aluminium	1/44
05	DEHRADUN	Dharam Pur	1	Not-Conforming	Total Dissolved Solids, Calcium, Magnesium, Total Alkalinity, Total Hardness, Coliform, E. Coli	7/44
		Ajalpur Kalan)	2	Not-Conforming	Total Dissolved Solids, Calcium, Magnesium, Total Alkalinity, Total Hardness, Coliform, E. Coli	7/44
		Banjar wala	3	Not-Conforming	Total Dissolved Solids, Magnesium, Total Alkalinity, Total Hardness, Coliform, E. Coli	6/44
		Nehru Gram	4	Not-Conforming	Total Alkalinity, Total Hardness, Coliform, E. Coli	4/44
		Mokham pur Temple	5	Not-Conforming	Magnesium, Total Alkalinity, Total Hardness, Coliform, E. Coli	5/44
		Colony Temple	6	Not-Conforming	Total Dissolved Solids, Calcium, Magnesium, Total Alkalinity, Total hardness, Coliform, E. Coli	7/44
		Balbir Road	7	Not-Conforming	Total Hardness, Coliform, E. Coli	3/44
		Subhash Road	8	Not-Conforming	Total Dissolved Solids, Calcium, Magnesium, Total	7/44

					Alkalinity, Total Hardness, Coliform, E. Coli	
		Race Course	9	Not-Conforming	Total Dissolved Solids, Calcium, Magnesium, Total Alkalinity, Total Hardness, Coliform, E. Coli	7/44
		Chukuwala	10	Not-Conforming	Total Dissolved, Calcium, Magnesium, Total Alkalinity, Total Hardness, Coliform, E. Coli	7/44
<b>06</b>	<b>CHANDIGARH</b>	Chandigarh Sectro 15	1	Not-Conforming	Aluminium	1/44
		Chandigarh Sectro 20	2	Not-Conforming	Aluminium	1/44
		Chandigarh Sectro 36	3	Not-Conforming	Aluminium	1/44
		Chandigarh Sectro 27	4	Not-Conforming	Aluminium	1/44
		Chandigarh Sectro 43	5	Not-Conforming	Aluminium	1/44
		Chandigarh Sectro 40	6	Not-Conforming	Aluminium	1/44
		Chandigarh Sectro 47	7	Not-Conforming	Aluminium	1/44
		Chandigarh Sectro 38	8	Not-Conforming	Aluminium, Coliform	2/44
		Chandigarh Sectro 7	9	Not-Conforming	Aluminium	1/44
		Chandigarh Sectro 26	10	Not-Conforming	Aluminium	1/44

07	JAMMU	Bari Brahmana	1	Not-Conforming	Coliform	1/44
		Jeevan Nagar Road , Satwari	2	Not-Conforming	Total Dissolved Solids, Magnesium, Total Alkalinity, Total Hardness, Coliform	5/44
		Gandhi Nagar, near Asia Hotel	3	Not-Conforming	Coliform	1/44
		Bakshi Nagar	4	Not-Conforming	Total Dissolved Solids, Calcium, Magnesium, Total Alkalinity, Total Hardness, Coliform	6/44
		Tallab Tillo	5	Not-Conforming	Total Dissolved Solids, Calcium, Magnesium, Total Alkalinity, Total Hardness, Coliform	6/44
		Jewel Chowk, Narwal	6	Not-Conforming	Total Alkalinity, Coliform	2/44
			7	Not-Conforming	Calcium, Magnesium, Total Alkalinity, Total Hardness, Coliform	5/44
		Shastri Nagar	8	Not-Conforming	Calcium, Magnesium, Total Alkalinity, Total Hardness	4/44
		Trikuta Nagar	9	Not-Conforming	Magnesium, Total Alkalinity, Total Hardness	3/44
		Greater Jammu near Vishal Mega Mart	10	Not-Conforming	Calcium, Magnesium, Total Alkalinity, Total Hardness	4/44



08	PATNA	<u>Patliputra Industrial Estate</u>	1	Not-Conforming	Coliform Bacteria, E. Coli, Total Alkalinity, Total Hardness	4/44
		<u>Gusain Tola</u>	2	Not-Conforming	Coliform Bacteria, E. Coli, Total Alkalinity, Total Hardness	4/44
		<u>Ramji chak</u>	3	Not-Conforming	E. Coli, Total Alkalinity, Total Hardness	3/44
		<u>Western Digha, Gate No. 93</u>	4	Not-Conforming	Total Alkalinity, Total Hardness	2/44
		<u>Digha Haat</u>	5	Not-Conforming	Coliform, E. Coli	2/44
		<u>Rajapur Pul</u>	6	Not-Conforming	Coliform , E. Coli, Total Alkalinity, Total Hardness	4/44
		<u>Near S. K. Memorial Hall, Gandhi Maidan</u>	7	Not-Conforming	Coliform , E. Coli, Total Alkalinity, Total Hardness	4/44
		<u>Pani tanki more, near A. N. Collage</u>	8	Not-Conforming	Coliform , E. Coli, Total Alkalinity, Total Hardness	4/44
		<u>Bouring Road chauraha</u>	9	Not-Conforming	Coliform , E. Coli, Total Alkalinity , Total Hardness	4/44
		<u>Kurji Pur</u>	10	Not-Conforming	Coliform , E. Coli, Total Alkalinity, Total Hardness	4/44
09	BHUBANESWAR	Satya Nagar Basti	1	Conforms	-----	0/44
		Sahid Nagar	2	Not-Conforming	Chloramines	1/44
		Acharya Vihar	3	Conforms	-----	0/44
		Gangua Basti, Palasuni	4	Conforms	-----	0/44
		Unit-1 Market	5	Conforms	-----	0/44
		VSS Nagar	6	Conforms	-----	0/44
		Infocity, Patia	7	Conforms	-----	0/44
		Patia	8	Conforms	-----	0/44
		Unit-6, Ganga Nagar	9	Conforms	-----	0/44
		Bapuji Nagar	10	Conforms	-----	0/44
		Piyali Phukan Road, Ulubari	1	Not-Conforming	Colour, E.coli, Coliform	3/44
		Changsari Dhopatari Road	2	Not-Conforming	E.coli, Coliform	2/44
		Near Odalbakra Battalion Gate	3	Not-Conforming	E.coli, Coliform	2/44
		Maligaon	4	Not-Conforming	Taste, Total Alkalinity, E.coli, Coliform	4/44

10	GUWAHATI	Jalukbari	5	Not-Conforming	E.coli, Coliform	2/44
		Bhetapara	6	Not-Conforming	Total Alkalinity, E.coli, Coliform	3/44
		Jyotinagar, Sonapur	7	Not-Conforming	E.coli, Coliform	2/44
		Narengi	8	Not-Conforming	E.coli, Coliform	2/44
		Lokhra	9	Not-Conforming	E.coli, Coliform	2/44
		Hatigaon	10	Not-Conforming	E.coli, Coliform	2/44
11	KOLKATA	Saltlake	1	Not-Conforming	Aluminium, Coliform, E. Coli	3/44
		Kasba	2	Not-Conforming	Colour, Turbidity, Aluminium, Coliform, E. Coli	5/44
		Jadavpur	3	Not-Conforming	Colour, Total Dissolved Solids, Barium, Magnesium, Total Alkalinity, Total Hardness, Coliform, E.coli	8/44
		Garia	4	Not-Conforming	Colour, Total Dissolved Solids, Barium, Magnesium, Total Alkalinity, Total Hardness, Coliform, E. Coli	8/44
		Laketown	5	Not-Conforming	Total Alkalinity, Total Hardness, Coliform, E. Coli	4/44
		Khidirpur	6	Not-Conforming	Aluminium	1/44
		Dharamtolla	7	Not-Conforming	Aluminium, Coliform, E. Coli	3/44
		Bowbazar	8	Not-Conforming	Aluminium, Coliform, E. Coli	3/44
		Madhyamgram	9	Not-Conforming	Turbidity, Total Dissolve Solid, Magnesium, Total Alkalinity, Total Hardness, Coliform, E. Coli	7/44
		New Shanti Nagar	1	Conforms	-----	0/44
		Anand Nagar	2	Not-Conforming	Total Alkalinity, Total	2/44

12	RAIPUR				Hardness	
		Adarsh Nagar, Mowa	3	Conforms	-----	0/44
		Kapa, Nowa	4	Not-Conforming	Aluminium	1/44
		Dubey Colony	5	Not-Conforming	Aluminium	1/44
		Gudhiary	6	Not-Conforming	Aluminium	1/44
		Kota	7	Not-Conforming	Aluminium	1/44
		Lakhenagar	8	Conforms	-----	0/44
		Purani Basti	9	Conforms	-----	0/44
		New Shanti Nagar	10	Conforms	-----	0/44
13	RANCHI	Khadgarha Bus Stand	1	Conforms	-----	0/44
		Railway Station, Ranchi	2	Conforms	-----	0/44
		Kadru, Ranchi	3	Conforms	-----	0/44
		Sujata Chowk, Ranchi	4	Not-Conforming	Total Dissolved Solids, Manganese, Total Hardness, Nickel	4/44
		Deepa Toli, Ranchi	5	Conforms	-----	0/44
			6	Conforms	-----	0/44
		Kata Toli, Ranchi	7	Conforms	-----	0/44
		Bariyatu, Ranchi	8	Conforms	-----	0/44
		Lohadi, Ranchi	9	Conforms	-----	0/44
		Dumardga, Ranchi	10	Conforms	-----	0/44
14	BENGALURU	VIJAYAPURA	1	Not-Conforming	Turbidity, Aluminium	2/44
		MATHIKERE	2	Not-Conforming	Aluminium, Bromodichloromethane, Coliform	3/44
		MAGADI ROAD	3	Not-Conforming	Turbidity, Aluminium	2/44
		RAJAJI NAGAR	4	Not-Conforming	Turbidity, Aluminium, Coliform	3/44
		JALAHALLI WEST	5	Not-Conforming	Coliform, Turbidity , Aluminium, Calcium	4/44
		CHICKPET	6	Not-Conforming	Turbidity, Aluminium, Coliform	3/44
		BANSHANKARI	7	Not-Conforming	Turbidity, Aluminium	2/44
		JAYANAGAR	8	Not-Conforming	Turbidity, Aluminium	2/44
		KAMALA NAGAR	9	Not-Conforming	Turbidity, Aluminium	2/44

		VIDYARANYAPURA	10	Not-Conforming	Aluminium	1/44
15	HYDERABAD	Gacchi Bowli	1	Conforms	-----	0/44
		Mehdipatnam	2	Conforms	-----	0/44
		Kukatpally	3	Conforms	-----	0/44
		Moghul Pura	4	Conforms	-----	0/44
		Kothapet, Dilsukh nagar	5	Conforms	-----	0/44
		Uppal	6	Conforms	-----	0/44
		Tarnaka	7	Conforms	-----	0/44
		East Anand Bagh, Malkajgiri	8	Not-Conforming	Phenolics	1/44
		Narayan Guda	9	Conforms	-----	0/44
		Road No. 1, Banjara Hills	10	Conforms	-----	0/44
16	THIRUVANANTH APURAM	ISRO PO	1	Not-Conforming	Aluminium, Coliform	2/44
		Kazhakootam	2	Not-Conforming	Coliform	1/44
		Medical College	3	Not-Conforming	Aluminium	1/44
		Muttada	4	Not-Conforming	Coliform	1/44
		Nemom	5	Not-Conforming	Aluminium	1/44
		Neyyattinkara	6	Not-Conforming	Aluminium	1/44
		Ambalamukku	7	Not-Conforming	Aluminium	1/44
		Nalanchira	8	Not-Conforming	Aluminium	1/44
		Karakulam	9	Not-Conforming	Turbidity, Aluminium	2/44
		Vattappara	10	Not-Conforming	Turbidity, Aluminium	2/44
17	AMRAVATI	Chebrolu Mandal	1	Conforms	-----	0/44
		Guntur Madal	2	Conforms	-----	0/44
		Vijayawada (Urban) Mandal	3	Conforms	-----	0/44
		Mangalagiri Mandal	4	Conforms	-----	0/44
		Anganvadi kendra,Tadepalli Mandal	5	Not-Conforming	Manganese	1/44
		Penamuluru Mandal	6	Not-Conforming	Total Dissolved Solids, Manganese, Total Alkalinity, Total Hardness	4/44
		Gudavalli (Gannavaram Mandal)	7	Not-Conforming	Total Dissolved Solids, Calcium, Chloride, Magnesium, Total Alkalinity, Total Hardness	6/44
			8	Not-Conforming	Total Dissolved Solids,	4/44

		Ballemvari Veedi (Ramvarapupadu Mandal)			Calcium, Total Alkalinity, Total Hardness	
		Uyyuru, Uyyuru Mandal	9	Not-Conforming	Total Dissolved Solids, Total Alkalinity	2/44
		Pedakakani Mandal	10	Not-Conforming	Total Dissolved Solids	1/44

18	CHENNAI	Mogappair	1	Not-Conforming	Turbidity, Fluoride	2/44
		Aynavaram	2	Not-Conforming	Odour, Taste, Turbidity, Fluoride, Coliform, E.coli	6/44
		Perambur	3	Not-Conforming	Turbidity, Fluoride, Total Dissolve Solid, Total Hardness,	5/44
		Kolathur	4	Not-Conforming	Odour, Taste, Total Dissolved Solids, Chloride, Fluoride, Total Hardness	6/44
		Guindy	5	Not-Conforming	Turbidity, Fluoride, Coliform	3/44
		Velachery	6	Not-Conforming	Odour, Taste, Total dissolve Solid, Ammonia, Boron, Chloride	6/44
		Adyar	7	Not-Conforming	Odour, Taste, Total Dissolved Solids, Boron, Chloride	5/44
		Sholinganallur	8	Not-Conforming	Total Dissolved Solids, Boron, Chloride	3/44
		T.Nagar	9	Not-Conforming	Odour, Taste, Turbidity, Total Dissolved Solids	4/44
		Egmore	10	Not-Conforming	Turbidity, Fluoride	2/44
19	GANDHI NAGAR	Sector 5	1	Not-Conforming	Colour, Turbidity, Coliform, E. Coli	4/44
		Sector- 3C	2	Not-Conforming	Colour, Turbidity, Coliform, E. Coli	4/44
		Sector 1	3	Not-Conforming	Coliform, E. Coli	2/44
		Sector 2B	4	Not-Conforming	Colour, Turbidity, Coliform, E. Coli	4/44
		GSI Colony sector-12	5	Not-Conforming	Colour, Turbidity, Coliform, E. Coli	4/44
		Sector 13	6	Not-Conforming	Colour, Turbidity, Coliform, E. Coli	4/44
		Sector 21 market	7	Not-Conforming	Turbidity, Coliform, E. Coli	3/44
		Sector 7B	8	Not-Conforming	Colour, Turbidity, Coliform, E. Coli	4/44
		Sector 25	9	Not-Conforming	Turbidity, Total Dissolved Solids, Coliform, E. Coli	4/44

		SECTOR 19	10	Not-Conforming	Colour, Turbidity, Coliform, E. Coli	4/44
<b>20</b>	<b>MUMBAI</b>	Powai	1	Conforms	-----	0/44
		Sakinaka	2	Conforms	-----	0/44
		Ghatkopar	3	Conforms	-----	0/44
		Chembur	4	Conforms	-----	0/44
		Worli	5	Conforms	-----	0/44
		NM Joshi Marg, Curry Road	6	Conforms	-----	0/44
		Sewri	7	Conforms	-----	0/44
		Malad(East)	8	Conforms	-----	0/44
		Kandivali(East)	9	Conforms	-----	0/44
		Jogeshwari(West)	10	Conforms	-----	0/44

21	Delhi	Burari, Delhi- 110084	1	Not-Conforming	Odour, pH Value, Trubidity, Alminium, Iron, Phenilic coumpuds, Coliform,	07/47
		Krishi Bhawan	2	Not-Conforming	Odour, Total dissolve solid, Aluminium, Magnisium, Total Alkalinity, Total hardness, Coliform	07/47
		12 Janpath, Honab'le Minister's home	3	Not-Conforming	Odur, Aluminum, Coliform	03/47
		Mandoli Ext., Delhi	4	Not-Conforming	Odour, turbidity, Aluminium, Manganese, Coliform	05/47
		Pitam Pura, Delhi	5	Not-Conforming	Color, Odour, pH Value, Turbidity, Iron, Manganese,	06/47
		Ashok Nagar, Delhi	6	Not-Conforming	Color, Odour, pH value, Turbidity, Aluminium, Phenolic compound, Coliform	07/47
		Baba colony Burari, Delhi	7	Not-Conforming	Odour, pH Valur, Turbidity, Total Dissolve Solid, Aluminium, Anionic Detergents, Calcium, Chloride, Magnesium, Nitrate, Phenolic Compund, Total Alkalinity, Total Hardness, Coliform,	14/47
		Surat Vihar , Mukund Pur	8	Not-Conforming	Odur, pH Value, Turbidity, Total dissolve Solid, Aluminium, Ammonia, Anionic Detergents	07/47
		Seema Puri	9	Not-Conforming	Odour, Manganese, Phenollic Compound, Total hardness, E. Coli, Coliform,	06/47
		Karawal Nagar	10	Not-Conforming	Odour, Color, pH value, Turbidity, Aluminium, Iron, Manganese, Phenolic Compounds, E. Coli, Coliform	10/47
		Janta Vihar	11	Not-Conforming	Color, Odour, Turbidity, Total	15/47



					Disolve solid, Ammonia, Anionic Detergents, Calcium, Manganese, Nitrate, Phenolic compounds, Sulphide, Total Alkalinity, Total Hardness, E. Coli, coliform	
--	--	--	--	--	---	--